



**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

EQUIPMENT CATALOG

CATALOG





**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

CATALOG INDEX



Kettles and Trays

01



**Hotel Ironing
Systems**

12



**Leather Coating
Hotel Products**

18



Luggage Stands

23



Hotel Phones

30



Hair Dryers

32




Mini Bars

44




Hotel Room Safes

48




Card Lock Set

51



Soap Dispensaries

54



**Paper Towel
Cabinet**

56



**Hotel Bathroom
Accessories**

58



Makeup Mirrors

63



**Physically Disabled
Products**

67



Cleaning Carts

72



Rome Service Carts

78



**Clothing
collection carts**

93

About Us:

At Hotel Experts, we don't just supply equipment; we provide the refined result of nearly two decades of architectural and operational mastery. Our journey began in 2008 with our parent company, T Concept, a premier architectural firm specializing in the full-scale design and construction of luxury hotels.

Our Heritage: The T Concept Foundation

For over 15 years, T Concept Mimarlık Dış Tic Ltd Şti has been a leader in the hospitality sector, managing projects from the initial architectural blueprint to the finest interior décor details. Our expertise isn't just theoretical—we manufacture, supply, and install bespoke decorative materials using our own dedicated craftsmanship teams. With a proven track record of successful projects across Turkey, Syria, and Algeria, we have gained an intimate understanding of what makes a hotel truly functional and guest-ready.

Leveraging this vast accumulated experience in hotel outfitting, we established Hotel Experts. We recognized a gap in the market for a supplier that understands the "soul" of a building. Based in the global hub of Istanbul, Turkey, we now export high-tier hotel equipment to clients worldwide. We bridge the gap between high-end architectural vision and practical, everyday hospitality needs.

Vision, Mission, and Strategic Goals

Our Vision

To be the world's most trusted partner in hospitality outfitting, where architectural innovation meets superior product quality to redefine the global standards of guest experience.

Our Mission

To empower hoteliers by providing integrated, high-performance solutions and equipment. We utilize our deep architectural roots and field-tested expertise to deliver excellence from Istanbul to the world.

Our Core Objectives

- Professional Precision: We select every piece of equipment with the discerning eye of the engineers who designed the space.*
- Turnkey Solutions: Providing a comprehensive "one-stop-shop" for everything a hotel requires—from the guest room to public facilities.*
- The Value Equation: Striking the perfect balance between premium quality and the most competitive pricing for the investor.*
- Global Reach: Transcending geographical boundaries to serve the hospitality industry across every continent.*



**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

T Concept Dış Tic Ltd Şti



Kettles and Trays

AR3139

- 2200 W
- CAPACITY 1.2 LITERS
- COMPLETE STAINLESS STEEL BODY
- COMPLETE STAINLESS STEEL CONCEALED HEATING ELEMENT
- 360° THE ABILITY TO ROTATE
- THE AUTO SHUTOFF WITH BOIL WATER
- SAFETY SYSTEM TO PREVENT DRY OPERATION
- ENERGY TRANSMISSION CABLE UNDER THE FLOOR, WINDING SECTION
- COLOUR: STAINLESS STEEL



N230

- TREE MODEL PRODUCED FROM THE MASSIVE HOTEL KETTLE TRAY
- KETTLE TRAY MEASURES: 23.5 * 43 H 3 CM
- A FEATURE FOR PRODUCTION ACCORDING TO DESIRED SIZE



N228

- STYLISH AND FUNCTIONAL DESIGN
- WELCOME TEA AND COFFEE, IDEAL FOR THE PRESENTATION OF
- MADE FROM DURABLE MATERIAL
- CAN BE PRODUCED WITH CUSTOM COLOR AND SIZE OPTIONS
- OFFERS GUESTS A PLEASANT WELCOME
- WATER-RESISTANT AND LONG-LASTING USAGE ENSURES



N220-5

- KETTLE WITH WOODEN TRAY IS MANUFACTURED FROM SOLID BEECH WOOD PANELS
- SEMI-MATTE FURNITURE POLISH HAS BEEN APPLIED
- MEASUREMENTS: 24*43 CM



DK116

- LEATHER TRAY SIZE: 45 * 45 CM, H: 4 CM
- TEA, SUGAR BOX SIZE: 15 X 10 CM, H: 4 CM
- CATERING CART SIZE : 22 * 14 CM H: 18 CM



N205

- CAPACITY: 600 ML
- POWER: 1100 W
- COLOR OPTIONS: WHITE, CREAM, BLACK
- ELECTRIC WATER HEATER, SUITABLE FOR USE IN HOTEL ROOMS
- STYLISH AND MODERN DESIGN
- QUICK HEATING FEATURE
- DURABLE AND LONG-LASTING USE
- EASY-TO-USE AND SECURE HEATING SYSTEM

DK119

- STYLISH AND FUNCTIONAL DESIGN
- WELCOME TEA AND COFFEE, IDEAL FOR THE PRESENTATION OF
- MADE FROM DURABLE MATERIAL
- CAN BE PRODUCED WITH CUSTOM COLOR AND SIZE OPTIONS
- OFFERS GUESTS A PLEASANT WELCOME
- WATER-RESISTANT AND LONG-LASTING USAGE ENSURES



N220-6



- MATERIAL: WALNUT TREE
- SEMI-MATTE FURNITURE POLISH APPLIED
- DIMENSIONS: 24 X 43 CM
- USAGE: SET THE HOTEL OFFER

N220

- MATERIAL: SOLID WOOD, MATTE FINISH APPLIED
- MEASUREMENTS: 43 * 24 CM, HEIGHT: 3 CM
- DESIGN PRESENTATION SPECIAL TRAY FOR HOTEL ROOMS



N217

- MODEL: JVD 4-EYED, COFF EE, SUGAR, TEA, PRESENTATION UNIT
- MATERIAL: MELAMINE
- 4-COMPARTMENT DESIGN, TEA, COFF EE, SUGAR OF SUCH PRODUCTS, REGULAR OFF ERS A WAY
- EASY TO CLEAN AND WATER RESISTANT FEATURE



N225

- MODEL: JVD KETTLE WATER HEATER
- WITH THE SYSTEM THE THERMOSTAT TO 120°C WHEN IT REACHES AUTOMATIC SHUTDOWN
- MANUAL CONTACT WITH ACCIDENT AUTOMATIC STOP SYSTEM TO AVOID RESISTANCE
- BACTERIA-FREE PLASTIC MATERIAL
- 2 YEARS WARRANTY INSTITUTIONAL EFE WET VOLUME EQUIPMENTS
- FRENCH ORIGIN HIGH QUALITY AND RELIABLE BRAND
- IDEAL FOR TEA AND COFF EE IN THE PRESENTATION OF THE HOTEL ROOMS
- STYLISH AND FUNCTIONAL DESIGN



DK107

- A SPECIALLY-CRAFTED WELCOME BASKET FOR GUESTS
- STYLISH AND FUNCTIONAL DESIGN
- SUITABLE FOR USE IN THE HOTEL ROOM
- OPTIONS FOR DIFFERENT SIZE AND DESIGN ACCORDING TO THE REQUEST



O10117

- DIMENSIONS: 35 CM X 20 CM
- WELCOME TRAY DESIGNED FOR TWO LARGE CUPS OFTEN
- DROPPER DESIGN THAT HIDES THE FOODS CHROME
- HIDES MORE CABLE WINDING SECTION
- ACCORDING TO THE REQUEST CAN BE FIXED BUILD



N242

- DIMENSIONS: 43 CM X 24 CM X 3 CM
- 1. CLASS FREQUENTLY PRODUCED FROM THE MASSIVE TREE TEA / COFFEE TRAY
- SPECIAL PRODUCTION FACILITIES UPON REQUEST
- HOTEL LOGO ON IT CAN BE PROCESSED
- DURABLE AND STYLISH DESIGN, LONG-TERM USE IDEAL FOR



DK105

- MODEL: JVD KETTLE WATER HEATER
- WITH THE SYSTEM THE THERMOSTAT TO 120°C WHEN IT REACHES AUTOMATIC SHUTDOWN
- MANUAL CONTACT WITH ACCIDENT AUTOMATIC STOP SYSTEM TO AVOID RESISTANCE
- BACTERIA-FREE PLASTIC MATERIAL
- 2 YEARS WARRANTY INSTITUTIONAL WET VOLUME EQUIPMENTS
- FRENCH ORIGIN HIGH QUALITY AND RELIABLE BRAND
- IDEAL FOR TEA AND COFFEE IN THE PRESENTATION OF THE HOTEL ROOMS
- STYLISH AND FUNCTIONAL DESIGN



O103-1



- MATERIAL: ABS BODY
- SIZE: 40 CM X 20 CM X 3 CM
- THIS KETTLE CATERING KIT
- STYLISH AND DURABLE DESIGN
- REGULAR WATER HEATER AND CATERING PRODUCTS
- IDEAL FOR PRESENTING IN A WAY
- LONG-LASTING AND SAFE USE
- EASY-TO-CLEAN SURFACE

DK110

- LEATHER COATED THE HOTEL, TEA AND COFFEE PRESENTATION KIT
- MANUFACTURING FACILITIES IN THE DESIRED COLORS
- LEATHER TRAY MEASURES: 35 CM * 40 CM * 4CM
- TEA COFFEE CANDY BOX MEASURES: 6,5CM × 17,5CM × 5CM
- STYLISH AND DURABLE DESIGN, THE HOTEL PROVIDES ROOMS WITH AN ELEGANT PRESENTATION
- CAN BE PERSONALIZED WITH A CUSTOM COLOR OPTIONS



N216



- MATERIAL: MELAMINE
- COLOR: BLACK
- WATER-RESISTANT
- HEIGHT: 49 MM
- WIDTH: 152 MM
- DEPTH: 115 MM
- DURABLE AND EASILY CLEANABLE CONSTRUCTION
- MODERN AND STYLISH DESIGN

O103

- WATER VOLUME: 1.2 LITERS
- STAINLESS STEEL BODY
- AUTOMATIC CLOSING SYSTEM WITH BOILING WATER
- 360 DEGREE ROTATABLE BODY
- FOR WIRELESS USE SEPARABLE BODY
- CONCEALED HEATING ELEMENT
- SAFETY SYSTEM TO PREVENT DRY OPERATION
- BOTTOM TRAY CABLE LENGTH: 0,80 M
- CABLE CAN BE HIDDEN IN THE TRAY



N227



- MATERIAL: MELAMINE
- COLOR: WHITE
- WATER-RESISTANT
- HEIGHT: 24 MM
- WIDTH: 377 MM
- DEPTH: 297 MM
- STYLISH AND DURABLE DESIGN
- LONG-TERM USE PROVIDES

N220-2

- DIMENSIONS: 43 CM X 24 CM X 3 CM
- MANUFACTURED FROM WOOD, STYLISH PRESENTATION TRAY
- IN THE HOTEL ROOM KETTLE, TEA, COFFEE AND GLASSES IN A REGULAR MANNER DESIGNED TO BE PLACED
- DURABLE AND AESTHETIC DESIGN
- LONG-LASTING USE ENSURES
- IS THE IDEAL OPTION FOR ELEGANT PRESENTATION



N454

- WATER TANK CAPACITY: 1200 ML
- 1500 W POWER CAPACITY WITH FAST-BOILING FEATURE
- CONFIDENTIAL-RESISTANT DESIGN
- 304 STAINLESS STEEL MATERIAL
- STYLISH AND DURABLE CONSTRUCTION, THIS IS IDEAL FOR USE
- PROVIDES QUICK AND SAFE HEATING
- LONG-LASTING USE OFFERS

N229

- MATERIAL: NON-FLAMMABLE AND ODORLESS MELAMINE
- TEA, COFFEE, SUGAR, KETTLE, CUPS AND COMPARTMENTS FOR
- DIMENSIONS: 42 MM X 384 MM X 333 MM
- A FREQUENT AND REGULAR OFFERS WELCOME IN THE HOTEL ROOM
- DURABLE AND LONG-LASTING USE ENSURES
- IDEAL FOR EASY CLEANING AND HYGIENE



N220-3



- DIMENSIONS: 43 CM X 24 CM X 3 CM
- MANUFACTURED FROM WOOD, STYLISH PRESENTATION TRAY
- IN THE HOTEL ROOM KETTLE, TEA, COFFEE IN A REGULAR MANNER AND GLASSES DESIGNED TO BE PLACED
- DURABLE AND AESTHETIC DESIGN
- LONG-LASTING USE ENSURES
- IS THE IDEAL OPTION FOR ELEGANT PRESENTATION

DK115

- **MATERIAL:** 6 MM MDF 1. FROM SATIRE-CLASS PU LEATHER
- **FRONT HEIGHT:** 4.5 CM
- **BACK HEIGHT:** 6 CM
- **DIMENSIONS:** 15 CM X 10 CM
- **STYLISH AND DURABLE DESIGN**
- **AESTHETIC AND LONG-LASTING USE ENSURES**



N240



- **CRAFTED FOR HOTEL ROOMS OFFER SET**
- **1.2-LITRE KETTLE AND TRAY COMBINATION**
- **EXCEPT IN CUPS AND SPOONS**
- **STYLISH AND FUNCTIONAL DESIGN**
- **IDEAL FOR THE PRESENTATION OF THE TEA AND COFFEE IN THE HOTEL ROOM**
- **DURABLE AND LONG-LASTING USE ENSURES**

N237

- **DIMENSIONS:** 350 MM X 380 MM X 77 MM
- **CUSTOM FIELD FOR THE BASE OF THE KETTLE AND POWER CORD**
- **CUP, TEA, COFFEE POD AND SUGAR**
- **IDEAL FOR PRESENTATION DESIGN IN AN ORDERLY MANNER**
- **DURABLE AND CONVENIENT STRUCTURE**
- **IT IS SUITABLE FOR A STYLISH PRESENTATION**



N238



- **DIMENSIONS:** 199 MM X 543 MM X 50 MM
- **THE MAIN BODY, AND TEA, COFFEE, SUGAR PANE**
- **IDEAL FOR A REGULAR AND FREQUENT PRESENTATION DESIGN**
- **DURABLE MATERIALS AND LONG-LASTING USE**
- **PROVIDES PRACTICE IN THE HOTEL ROOM**

N221

- MATERIAL: SOLID WOOD
- THICKNESS: 3 CM
- DIMENSIONS: 49 CM X 23,5 CM
- DESIRED COLOR FURNITURE POLISH
- WOODEN TEA-AND COFFEE-PRESENTATION UNIT
- DURABLE AND LONG-LASTING USE ENSURES



N220-1

- DIMENSIONS: 43 CM X 24 CM X 3 CM
- WOOD MATERIAL, STYLISH AND DURABLE DESIGN
- KETTLE, TEA, COFFEE AND CUPS CAN BE PLACED IN AN ORDERLY MANNER DESIGNED SPECIFICALLY FOR
- LONG-LASTING USE OFFERS
- PRACTICAL AND STYLISH, IDEAL FOR A RECEPTION



N239

- WATER TANK CAPACITY: 1.2 L
- POWER: 1000W
- VOLTAGE: 220-240V~, 50/60HZ
- 304 STAINLESS STEEL BODY
- WIRELESS USE THE DESIGN CAN ROTATE IN 360 DEGREES
- TWO CERAMIC CONTROL COMPONENTS WITH DOUBLE-SAFETY SYSTEM, STAY HYDRATED
- FOR AUTOMATIC SHUTDOWN STEAM KEY
- SAFE AND EASY TO CLEAN, CONCEALED HEATING ELEMENT



N231

- DIMENSIONS: 42 MM X 384 MM X 333 MM
- MATERIAL MELAMINE, FIREPROOF AND ANTI-ODOR
- TEA, COFFEE, SUGAR, CUPS AND KETTLE COMPARTMENTS FOR
- PROVIDES REGULAR AND FREQUENT PRESENTATION IN THE HOTEL ROOM
- DURABLE AND LONG-LASTING USE
- EASY-TO-CLEAN SURFACE
- AESTHETIC DESIGN, IDEAL FOR A PRACTICAL USE



N224

- MICROORGANISMS-MELAMINE FREE PLASTIC
- PRODUCTION IN ACCORDANCE WITH THE MINISTRY OF HEALTH STANDARDS
- KETTLE IS IDEAL FOR THE PRESENTATION OF SERVICE DESIGN
- IT PROVIDES HEALTHY AND HYGIENIC HANDLING
- DURABLE AND LONG-LASTING
- EASY CLEANING AND MAINTENANCE WITH PRACTICAL USE



T02



- MATERIAL: SOLID BEECH
- HAVE BEEN FINISHED WITH A NATURAL VARNISH
- DIMENSIONS: 24,5 CM X 12,5 CM X 3 CM
- STYLISH AND DURABLE DESIGN
- LONG-LASTING USE
- AESTHETIC APPEARANCE AND QUALITY CONSTRUCTION
- NATURAL WOOD TEXTURE PROVIDES AN ELEGANT PRESENTATION

N241

- VOLTAGE: 220-240V AC, 50/60HZ
- POWER: 1350W
- WATER TANK CAPACITY: 1.2 LITERS
- HIDDEN HEATING ELEMENT - FL AT BOTTOM
- STAINLESS STEEL BODY
- POWER INDICATOR LAMP
- 360° SWIVEL BASE
- WHILE THE WATER BOILS AUTO SHUTDOWN
- SAFETY SYSTEM TO PREVENT DRY OPERATION
- WINDING THE CABLE ON THE BASE UNIT SECTION
- IDEAL FOR SAFE HANDLING AND STYLISH DESIGN



N216



- DIMENSIONS: 42 MM X 384 MM X 333 MM
- MATERIAL MELAMINE, FIREPROOF AND ANTI-ODOR
- TEA, COFFEE, SUGAR, CUPS AND KETTLE COMPARTMENTS FOR
- PROVIDES REGULAR AND FREQUENT PRESENTATION IN THE HOTEL ROOM
- DURABLE AND LONG-LASTING USE
- EASY-TO-CLEAN SURFACE
- AESTHETIC DESIGN, IDEAL FOR A PRACTICAL USE

N219

- MATERIAL IS MADE OF BAMBOO
- DURABLE AND ECO-FRIENDLY CONSTRUCTION
- TEA, COFFEE, SUGAR TREATS IT LIKE
- DESIGNED FOR REGULAR AND AESTHETIC PRESENTATION
- EASY CLEANING AND LONG-LASTING USE
- BAMBOO MATERIAL, NATURAL AND PROVIDES A MODERN LOOK



N222

- MATERIAL: SOLID WOOD, 3 CM THICK
- THE DESIRED COLOR CAN BE APPLIED IN POLISH
- KETTLE AND CUP SIZE CAN BE CUSTOMIZED ACCORDING TO
- DIMENSIONS: 33 CM X 55 CM
- DURABLE AND LONG-LASTING USE
- AESTHETIC APPEARANCE AND QUALITY CONSTRUCTION
- WOOD TEXTURE PROVIDES AN ELEGANT PRESENTATION
- STYLISH AND FUNCTIONAL DESIGN, SUITABLE FOR HOTEL ROOMS





Hotel Ironing Systems



HOTEL
EXPERTS

HOTEL DESIGN & IMPLEMENTATION

N447

- STEAM TRIGGERED, PERFORATED METAL SHEETS TRAY
- ELECTROSTATIC EPOXY POWDER COATING
- TRANSPARENT VACUUM PACKAGING
- FIREPROOF FABRIC, THERMAL
- CONCEALED HOOK INSIDE THE CLOSET TO HANG
- HOTEL IRONING BOARD DIMENSIONS: TRAY SIZE: 33 * 110 CM STRAP INCLUDED SIZE: 133 CM



N452

- STEAM TRIGGERED, PERFORATED METAL SHEETS TRAY
- ELECTROSTATIC EPOXY POWDER COATING
- TRANSPARENT VACUUM PACKAGING
- FIREPROOF FABRIC, THERMAL
- TABLE SIZE: 113 * 40 CM
- HANGER BRACKET INCLUDED LENGTH: 139 CM
- FOOT TUBE DIAMETER: 32 MM

N415

- CUSTOM HANGER BRACKET, THANKS TO THE HOTEL IN THE ROOMS IRONING BOARD INTO THE CABINET CAN EASILY BE OVERCOME.
- ALONG WITH THE ABILITY TO BE HANGED IRONS TO SAVE SPACE PROVIDED.



N414



- PRODUCT: OF FRENCH ORIGIN, THIS STEAM IRON
- POWER: 1250W
- AUTO POWER OFF : 30 SECONDS HORIZONTALLY, VERTICALLY 8 MINUTES
- USAGE: SAFE AND EFFI CIENT IN THE HOTEL ROOM
- STEAM CAPACITY HIGH-EFFI CIENCY STEAM OUTPUT
- SECURITY: ENERGY-SAVING AUTO-OFF

AR6000

- SAFETY FEATURES: AUTOMATIC SHUTDOWN 3, WARNING LIGHT
- POWER: 2400 W
- STEAM OUTPUT: 40 G/MIN CONTINUOUS, 175 GR/MIN SHOCK
- OUTSOLE: OPTIMAL CERAMIC
- LIME SCALE: ANTI-CALC
- LET DRIP: ANTI-DRIP
- CLEANING: SELF-CLEANING
- WATER CAPACITY: 420 ML
- CABLE LENGTH: 2 M



AR6025

- POWER: 2750 W
- OUTSOLE: OPTIMAL CERAMIC
- WATER TANK CAPACITY: 300 ML
- VERTICAL STEAM: YES
- ADJUSTABLE TEMPERATURE: YES
- SELF-CLEANING: YES
- IONIZED BASE TECHNOLOGY: YES

N445

- IRON STRAP: IS MOUNTED INSIDE THE CABINET
- IRON MAINTAINS ORDERLY AND CABLE
- SPACE SAVINGS
- PROVIDES SAFE AND TIDY STORAGE
- EASE OF USE AND PRACTICALITY



N460

- STEAM TRIGGERED, PERFORATED METAL SHEETS TRAY: HIGH HEAT-RESISTANT AND ALLOWS THE PASSAGE OF VAPOR.
- FIREPROOF THERMAL FABRIC: HIGH RESISTANT TO HIGH TEMPERATURES, SAFE HANDLING.
- TABLE SIZE: 113 * 40 CM
- HANGER BRACKET INCLUDED LENGTH: 139 CM.
- FOOT PIPE DIAMETER: 32 MM.

N451

- POWER: 2600 W
- FEATURE OUTSOLE: GRANITE BASE
- DRIP TO LET PROPERTY (ANTI-DRIP):
- ARTHRITIS THE ANTI-CALC):
- SELF-CLEANING (SELF-CLEAN):
- STEAM AND SPRAY: POWERFUL STEAM OUTPUT PROVIDES A MORE EFFICIENT IRONING.



N449

- POWER: 2400 W
- CERAMIC FLOOR: SMOOTH IRONING, THE FABRIC OF THE SLIP OF EASE
- STEAM OUTPUT: UP TO 120 GR PER MINUTE, QUICK WRINKLE REMOVAL
- WATER TANK CAPACITY: 260 ML, ENOUGH FOR LONG USE
- CABLE LENGTH: 2 METERS, THE RANGE ALLOWS FOR
- THE HOTEL INCLUDE: DURABLE AND EFFICIENT, SUITABLE FOR HOTEL ROOMS



P222

- WHEELS: PROVIDES EASY PORTABILITY WHEN NEEDED LOCKABLE.
- USAGE: HOTEL FLOORS, LAUNDRY ENABLES COLLECTION EASILY.
- MEASUREMENTS: 53 * 91 *112 CM
- FUNCTIONAL DESIGN: WHEEL STRUCTURE ALLOWS EVEN HEAVY LOADS TO MOVE FREELY.



AS2

- MATERIAL: 1. IT IS MANUFACTURED USING GRADE MATERIAL.
- USAGE: PIPE, WHICH IS FIXED TO THE CABINET BY HANGING THE RING IS USED.
- PRODUCTION: DOMESTIC PRODUCTION, DURABLE AND LONG LASTING.



N461

- **PAINT:** ELECTROSTATIC POWDER PAINT CAN BE PAINTED WITH ANY COLOR.
- **MOUNTING:** WITH SCREWS TO THE INSIDE OF THE CABINET CAN BE MOUNTED EASILY.
- **MATERIAL:** DURABLE AND LONG-LASTING 1. MATERIALS ARE MANUFACTURED FROM CLASS.
- **USAGE:** IRON AND ALLOWS OTHER EQUIPMENT TO BE STORED IN AN ORDERLY MANNER RECOGNIZES.



N448

- **TABLE SIZE:** 33 X 110 CM
- **MATERIAL:** TRIGGERED STEAM, PERFORATED METAL SHEETS TRAY
- **COATING:** ELECTROSTATIC POWDER COATING EPOXY
- **PACKING:** TRANSPARENT VACUUM PACKAGING
- **FABRIC:** FIREPROOF FABRIC, THERMAL
- **EXTRA FEATURES:** CAN BE HUNG INSIDE CLOSET THANKS TO CONCEALED HOOK SAVES SPACE.

N462

- **IRONS ENABLES IT TO BE SECURELY FIXED TO THE WALL.**
- **IN THE AREAS ORDERLY AND PRACTICAL SOLUTION.**
- **WALL MOUNTING CAN BE DONE, IT SAVES SPACE.**
- **MANUFACTURED WITH DURABLE MATERIALS.**



AR683



- **2400 W POWER CAPACITY**
- **ADJUSTABLE STEAM POWER**
- **ANTI-CALC • ANTI-DRIP • SELF-CLEAN**
- **STEAM AND SPRAY FEATURE**
- **3 SAFE AUTOMATIC SHUTDOWN**
- **AUTO-AUDIBLE AND VISUAL ALERTING WHEN IT CLOSES.**
- **2 M CABLE LENGTH**
- **ILLUMINATED WATER TANK WITH A CAPACITY OF 420 ML**

N413

- IRONING BOARD AND IRON HANGER BRACKET IS DESIGNED TO BE ABLE TO HANG INSIDE THE CLOSET.
- SPACE SAVING AND GIVES REGULAR USAGE.
- ALLOWS FOR EASY INSTALLATION AND USE.
- MANUFACTURED WITH DURABLE MATERIALS.



P223

- TABLE SIZE: 33 X 110 CM
- MATERIAL: TRIGGERED STEAM, PERFORATED METAL SHEETS TRAY
- COATING: ELECTROSTATIC POWDER COATING EPOXY
- PACKING: TRANSPARENT VACUUM PACKAGING
- FABRIC: FIREPROOF FABRIC, THERMAL
- EXTRA FEATURES: CAN BE HUNG INSIDE CLOSET THANKS TO CONCEALED HOOK SAVES SPACE.



HOTEL
EXPERTS

HOTEL DESIGN & IMPLEMENTATION

T Concept Dış Tic Ltd Şti

Leather Coating Hotel Products

DK101

DIMENSION:
WIDTH: 23 CM
DEPTH (D): 23 CM
HEIGHT (H): 30 CM
MATERIAL: MDF LEATHER DRESS



DK102

DIMENSION:
WIDTH: 13,5 CM
DEPTH (D): 13,5 CM
HEIGHT (H): 14 CM
MATERIAL: LEATHER
COLOR OPTIONS: BLACK, BITTER COFFEE

DK116

LEATHER TRAY:
DIMENSIONS: 45 X 45 CM HEIGHT: 4 CM
TEA, SUGAR BOWL BOX:
DIMENSIONS: 15 X 10 CM HEIGHT: 4 CM
CATERING CART:
SIZES: 22 * 14 CM HEIGHT: 18 CM



DK103

EXTERNAL DIMENSIONS: 25 CM (LENGTH) X 13 CM
HEIGHT: 5 CM



DK119

MATERIAL: 6 MM MDF 1. CLASS PU LEATHER
DIMENSIONS: 30 CM X 40 CM
TEA/COFFEE BOX:
DIMENSIONS: 18 CM X 7 CM X 5 CM
**COLOR OPTIONS: OPTIONALLY AVAILABLE IN
DIFFERENT COLOR OPTIONS.**



DK102

HEIGHT: 30 CM
TOP SIZE: 24 CM X 24 CM
SUB-MEASURE: 20.5 CM X 20.5 CM

DK106

COLOR OPTIONS: BLACK, COPPER, COFFEE, CREAM
DIMENSIONS: 14 CM X 30 CM



DK105

**MATERIAL: 6 MM MDF 1. FROM SATIRE-CLASS PU
LEATHER**
STANDARD SIZES: 30 X 50 CM
**CUSTOMIZABLE MEASUREMENT: METRIC CHANGES
CAN BE MADE ON DEMAND.**
**LOGO APPLICATION: CAN BE APPLIED TO THE LOGO
ONTO THE SKIN**



DK107

DEDICATED TO PREPARE FOR GUESTS IN THE HOTEL ROOM WELCOME BASKET.



DK108

DIMENSION: 30 CM X 35 CM
LID DESIGN: THE LID FOR STORING OF CONTENT IN A REGULAR MANNER FIELDS.
COLOR OPTIONS: BLACK, COFF EE, CREAM, COPPER, AND OTHER CUSTOM COLORS CAN BE PRODUCED.
MATERIAL: 6 MM MDF 1. CLASS PU LEATHER COATING. STYLISH AND DURABLE DESIGN FEATURES.

DK126

DIMENSIONS: 34 CM X 41 CM, HEIGHT: 4 CM
MATERIAL: 6 MM MDF 1. FROM CLASS PU LEATHER



DK109

DIMENSIONS: 18 CM X 7 CM X 5 CM
MATERIAL: 1. CLASS PU LEATHER
FUNCTION: TEA, COFF EE, SUGAR ON A REGULAR BASIS TO OFF ER TREATS LIKE IDEAL
COLOR OPTIONS: ON REQUEST IN BLACK, BROWN, CREAM
COLORS LIKE PRODUCTION CAN BE DONE.

DK110

THE HOTEL OFFERS TEA AND COFFEE LEATHER COATED PRESENTATION KIT REQUIRED COLORS ARE PRODUCED.
35X40X4 LEATHER TRAY MEASURES CM.
TEA COFFEE SUGAR BOX MEASURES 6,5 X 17,5 CM 5CM.



DK108

MATERIAL: LEATHER
FEATURES: STYLISH AND MODERN APPEARANCE IN THE HOTEL ROOMS ALLOWS YOU TO BLEND IN WITH THE INTERIOR
COLOR OPTIONS: ACCORDING TO THE REQUEST COLOR CHANGES CAN BE MADE.
USE: HOTEL ROOMS, LOBBY, OFFICES CAN BE USED IN AREAS SUCH AS

DK113

DIMENSION: 13,5 * 13,5 * 14 CM
MATERIAL: LEATHER
COLOR OPTIONS: BLACK, COPPER, COFFEE, CREAM
FEATURES: STYLISH, MODERN DESIGN, DURABLE LEATHER MATERIAL
USE: HOTEL ROOMS, OFFICES, HOUSES AND OTHER INTERIOR SPACES IDEAL FOR



DK112

WE PRODUCE TELEVISION AND AS THE LOGO FOR THE HOTEL ROOM REMOTE CONTROL INFORMATION IS SUMENLIG. BLACK, COPPER, COFFEE, AND CREAM, COLORS CAN BE PRODUCED.
DIMENSIONS 14 X 30 CM.





HOTEL
EXPERTS
HOTEL DESIGN & IMPLEMENTATION

T. Concept Dış Tic Ltd Şti

Luggage Stands

P219C

OPEN DIMENSIONS:
HEIGHT: 52 CM DEPTH: 48 CM WIDTH: 56 CM
CLOSED MEASUREMENTS: HEIGHT: 70 CM



P219B

HEIGHT : 52 CM
DIMENSION: WIDTH: 56 CM
CLOSED: H: 70 CM

P219

RAW MATERIAL: BEECH WOOD PRODUCED FROM WOODEN SUITCASE, ROBUSTNESS AND WITH THE VISUAL QUALITY AND AESTHETIC STANDS OUT.
COLOR AND SURFACE TREATMENT: POLISH APPLYING ANY COLOR CAN BE PERSONALIZED.
BELTS: MANUFACTURED FROM HIGH STRENGTH MATERIALS DURABILITY.
DIMENSIONS (OPEN): AT 56 CM, DEPTH 48 CM, HEIGHT 52 CM.



P219A

DIMENSIONS (OPENED):
WIDTH: 56 CM
DEPTH: 48 CM
HEIGHT: 52 CM



P226P

HEIGHT: 193 CM
WIDTH: 65 CM
LENGTH: 105 CM
THESE MEASURES USE THE HOTEL IS SUITABLE FOR LARGE BAGS
A TRANSPORT CART DESIGN ALLOWS YOU TO MOVE EASILY IS POINTING. BOTH LARGE CAPACITY AND PRACTICAL STRUCTURE
THE HOTEL STAFF IS EFFICIENT AND WILL BE A HELPFUL TOOL.



P225

OPEN DIMENSIONS:
HEIGHT: 52 CM
WIDTH: 56 CM
WIDTH: 48 CM
SURFACE: POLISHING PROCESS WAS APPLIED.
EXTRA FEATURE: THERE IS A SECTION PUTTING ON SHOES.

P230B

OPEN DIMENSIONS:
HEIGHT: 52 CM
DEPTH: 48 CM
WIDTH: 56 CM
CLOSED DIMENSIONS:
HEIGHT: 70 CM
SURFACE FINISH: WHITE PAINT AND VARNISH WAS APPLIED TO THE PROCESS.



P230BA

OPEN DIMENSIONS:
HEIGHT: 52 CM
DEPTH: 48 CM
WIDTH: 56 CM
CLOSED DIMENSIONS:
HEIGHT: 70 CM
PART ARKLIK WOODEN SUITCASE: +12 CM HIGH
SURFACE FINISH: WHITE PAINT AND VARNISH WAS APPLIED TO THE PROCESS.

M02

HEIGHT (H): 71 CM

DEPTH (D): 32 CM

MOST (E): 32 CM

THIS BABY HIGH CHAIR, WITH COMPACT SIZE OFF ERSA
CONVENIENT CHOICE. BOTH PRACTICAL AND SAFE FOR
THE USE INTENDED.



P230MR



P230BR

OPEN DIMENSIONS:

HEIGHT: 52 CM

DEPTH (D): 48 CM

MOST (E): 56 CM

CLOSED DIMENSIONS:

HEIGHT (H): 70 CM

SURFACE TREATMENT: WHITE PAINT AND VARNISH

SPECIAL FEATURE: PUT THE SHOE SECTION

OPEN DIMENSIONS:

HEIGHT: 52 CM

DEPTH (D): 48 CM

MOST (E): 56 CM

CLOSED DIMENSIONS:

HEIGHT (H): 70 CM

SURFACE TREATMENT: PAINT AND VARNISH, THE
COLOR OF MAHOGANY

SPECIAL FEATURE: PUT THE SHOE SECTION



P230NR

OPEN DIMENSIONS:

HEIGHT: 52 CM

DEPTH (D): 48 CM

MOST (E): 56 CM

CLOSED DIMENSIONS:

HEIGHT (H): 70 CM

SURFACE TREATMENT: NATURAL LACQUER

SPECIAL FEATURE: PUT THE SHOE SECTION



P230CR

OPEN DIMENSIONS:
HEIGHT: 52 CM
DEPTH (D): 48 CM
MOST (E): 56 CM
CLOSED DIMENSIONS:
HEIGHT (H): 70 CM
SURFACE TREATMENT: NATURAL COLOR WALNUT LACQUER
SPECIAL FEATURE: PUT THE SHOE SECTION



P230S

OPEN DIMENSIONS:
HEIGHT: 52 CM
DEPTH (D): 48 CM
MOST (E): 56 CM
CLOSED DIMENSIONS:
HEIGHT (H): 70 CM
SURFACE TREATMENT: BLACK PAINT, AND VARNISH
SPECIAL FEATURE: PUT THE SHOE SECTION

P230C

OPEN DIMENSIONS:
HEIGHT: 52 CM
DEPTH (D): 48 CM
MOST (E): 56 CM
CLOSED DIMENSIONS:
HEIGHT (H): 70 CM
SURFACE TREATMENT: LACQUER WALNUT
SPECIAL FEATURE: PUT THE SHOE SECTION



P220A



MATERIAL: METAL CHROME PLATED OVER
STRAP PARTS: AUTO BELT MADE OF FABRIC
AIM: THE ITEMS IN THE LUGGAGE OF GUESTS IN THE HOTEL ROOMS EASILY AND IS DESIGNED TO TAKE IN ORDER TO BE ABLE TO EDIT.
PORTABILITY: AFTER USE, IT CAN BE EASILY FOLDED AND PUT AWAY PLACE DOESN'T TAKE.
DURABILITY: MANUFACTURED FROM 304 GRADE STAINLESS STEEL.
CUSTOM MEASUREMENT OPTION: CAN BE PRODUCED UPON SPECIAL REQUEST.

www.hotelexperts.net

sales@hotelexperts.net

P220AP

**MATERIAL: METAL CHROME PLATED OVER
STRAP PARTS: AUTO BELT MADE OF FABRIC
THROUGH THE METAL CONSTRUCTION AND CHROME
PLATING FOR LONG-TERM USE.**



P220

**SUITCASE STAND, AND HOTEL ON THE COATING
MATERIAL IS MANUFACTURED WITH CHROME
METAL
PROVIDES A COMFORTABLE USE OF THE LUGGAGE IN
THE ROOMS. THE TRIPOD STRAP AUTO PARTS
THE BELT IS MADE OF FABRIC. THUS IT CAN BE
PLACED SAFELY SUITCASES CAN BE FIXED. THIS
DESIGN CAN EASILY USE THE LUGGAGE OF HOTEL
GUESTS WHILE ALLOWING FOR THE TABLE'S STURDY
CONSTRUCTION IS IDEAL FOR LONG-TERM USE.**

P226

**PIPE AISI 304 STAINLESS STEEL FRAME, DURABLE AND
LONG-LASTING STRUCTURES.
CARPET COATED SURFACE, IT IS COMFORTABLE AND
PROVIDES AN AESTHETIC APPEARANCE TO THE GUESTS
CREATES.
THE FRAME PROVIDES SAFE HANDLING MULTIPLICATION
AND PREVENTS DAMAGE TO THE TIRE.
30 MM MDF WOOD FLOORS, OFFERS A SOLID SUPPORT.
MOVING TWO WITH BRAKES, TWO MOVING WHEEL, EASY
TO MOVE HARD ALLOWS YOU TO STAY
DIMENSIONS: WIDTH: 60 HEIGHT: 100 HEIGHT: 195 CM**



P221

GOLD-PLATED LUGGAGE RACK

P221A

SUITCASE HOLDER WITH GOLD PLATED BACKS
SUITCASE HOLDER ON STAINLESS COATING.



AS1

1. CLASS HOTEL JIB ROD HANGER (VELVET)



P220P

MEASUREMENTS:
HEIGHT: 52 CM
DEPTH: 48 CM
WIDTH: 56 CM
CLOSED MEASUREMENTS:
HEIGHT: 70 CM



HOTEL
EXPERTS
HOTEL DESIGN & IMPLEMENTATION

T Concept Dış Tic Ltd Şti

Hotel Phones

TLF01

- 4 DIRECT-DIAL KEY
- 10 SPEED DIAL ENTRY
- 3 DIFFERENT MELODY AND VOLUME FOR OPTION
- LAST CALL REDIAL FEATURE



TLF02

- 100 PHONE BOOK ENTRIES
- MOVING THE SCREEN ALFANUMARİK
- SEARCH VIEW
- 2-STOREY, 8 DIRECT-DIAL KEY

TLF03

- WALL-MOUNTABLE
- 10 SPEED DIAL FEATURE
- LAST CALL REDIAL FEATURE





**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

T Concept Diş Tic Ltd Şti

Hair Dryers

O1871

- VOLTAGE 220 VOLTS
- DC MOTOR
- 1350 WATTS OF POWER
- TIER 2 SPEED SETTING
- CABLE LENGTH: 3 M
- THERMOSTAT RESISTANCE PROTECTED
- HIDDEN ELECTRICAL CONNECTION
- WALL HANGER
- SHAVER CONNECTOR SOCKET



O1873

- VOLTAGE: 220V
- MOTOR: DC MOTOR
- POWER: 1350W
- SPEED SETTING: 2 LEVEL SPEED ADJUSTMENT
- DESIGN: MATT-CHROME PARTS WITH A COMBINATION OF STYLISH DESIGN
- CABLE LENGTH: 3 METERS
- THERMOSTAT: THE THERMOSTAT RESISTANCE PROTECTED
- HANGER BRACKET

N419

- POWER: ADJUSTABLE BETWEEN 1600W AND 2000W
- COLOR OPTIONS: BLACK AND WHITE
- CUSTOMIZABLE ACCORDING TO DESIRED POWER SETTING



O1872

- VOLTAGE: 220V
- MOTOR: DC MOTOR
- POWER: 1350W
- SPEED ADJUSTMENT: 2-STAGE SPEED ADJUSTMENT
- CABLE: 3-METER LONG SPIRAL CABLE, MAINTAINS ITS SHAPE FOR A LONG TIME
- THERMOSTAT: THERMOSTAT-PROTECTED HEATING ELEMENT
- MOUNTING BRACKET: MOUNTING BRACKET PROVIDING A COMPACT LOOK ON THE WALL

N8221195

- POWER: 1400W
- MOUNTING: WALL MOUNTED
- CABLE: SPIRAL CABLE
- SPEED SETTING: 2 LEVEL SPEED ADJUSTMENT
- TEMPERATURE OPTIONS: TEMPERATURE OPTION 3
- MECHANICAL PROPERTIES: CUSTOM TRIGGER MECHANISM
- IYONIZER: YES, IYONIZER FEATURE
- COLOR: WHITE CHROME



O1874

- VOLTAGE: 220 VOLTS
- MOTOR TYPE: DC MOTOR
- POWER: 1350 WATTS
- CABLE LENGTH: 3M
- CABLE TYPE: SPIRAL, RETAINS ITS SHAPE FOR A LONG TIME
- SPEED ADJUSTMENT: 2-STAGE SPEED ADJUSTMENT
- TEMPERATURE CONTROL: THERMOSTAT-PROTECTED HEATING ELEMENT
- HANGER: HANGER SUITABLE FOR CONCEALED ELECTRICAL CONNECTION
- EXTRA FEATURE: SHAVER CONNECTION SOCKET ON THE HANGER (220 VOLTS)



E218.3

- MOTOR SYSTEM: ITALIAN-MADE A.C. MOTOR
- POWER OPTION: ADJUSTABLE POWER BETWEEN 1600 W AND 2000 W
- BUTTON SYSTEM: PUSH-RELEASE BUTTON – WORKS WHEN YOU TOUCH IT, STOPS WHEN YOU RELEASE YOUR FINGER
- COLOR OPTION: BLACK OR WHITE
- INTENDED USE: DESIGNED FOR PROFESSIONAL USE
- PERFORMANCE: DESIGN THAT PROVIDES POWERFUL AND LONG-LASTING PERFORMANCE



O230

- POWER: 2500 WATTS
- AIR PRESSURE: MMH2O 301
- BLOWING RATE: 102,0 M3/H
- WEIGHT: 590 G
- IONIC TECHNOLOGY: YES
- TEMPERATURE SETTING: 4 DIFFERENT OPTIONS
- SPEED SETTING: 2 SPEED STAGES
- SHOCK BUTTON: YES BUTTON FOR QUICK DRYING SHOCK
- FEATURE: ENSURES FAST DRYING PERFORMANCE



O1863

- **POWER:** 1350 WATTS
- **MOTOR:** LONG LASTING D.C. MOTOR
- **BUTTONS:** HEAD-AND-DROP BUTTON
- **THERMOSTAT PROTECTION:** YES RESISTANCE FOR PROTECTION THERMOSTAT
- **NOISE LEVEL:** 64 DB
- **CABLE:** THE CABLE EFESTEEL SOCKET STRENGTHENS THE LIFE FEATURE
- **DESIGN:** STRAP SUITABLE FOR USE WITH COMPACT AND ERGONOMIC



O218

- **POWER OPTIONS:** 1600 WATTS AND 2000 WATTS
- **TEMPERATURE SETTING:** 3-STEP TEMPERATURE SETTING
- **NOISE LEVEL:** 68 DECIBELS
- **HIDDEN ELECTRICAL CONNECTION:** SAFE HANDLING IDEAL FOR HOTEL BATHROOMS IN ACCORDANCE WITH
- **HANGER BRACKET:** 3 HANGING DIFFERENT DIRECTIONS IN THE POSSIBILITY OF
- **MOTOR:** AC MOTOR LONG LASTING ITALIAN
- **THERMOSTAT PROTECTION:** YES RESISTANCE FOR PROTECTION THERMOSTAT
- **DESIGN:** COMPACT AND SAFE, SUITABLE FOR HOTEL USE

N440

- **POWER:** 1400 WATTS
- **TYPE OF CABLE:** SPIRAL CABLE
- **LEVEL:** 2 LEVEL SPEED ADJUSTMENT
- **TEMPERATURE OPTIONS:** 3 DIFFERENT TEMPERATURE SETTINGS
- **IYONIZER:** YES, YOUR HAIR MAKES YOU LOOK MORE SMOOTH AND SHINY
- **USAGE:** CABINET, DRAWER AND IS SUITABLE FOR USE IN



O218.4

- **POWER:** 2000 W 1600 W AND OPTIONS
- **SOUND POWER:** 64 DB
- **WEIGHT:** 582 G
- **SPEED AND TEMPERATURE SETTINGS:** 2-STAGE SPEED AND TEMPERATURE SETTING
- **OPERATION SYSTEM:** HEAD-AND-DROP-BUTTON, EASY OPERATION
- **PLUG IN INPUT:** 110 VOLT AND 220 VOLT PLUG IS WHERE YOU ENTER
- **UTILIZATION:** SAFE IN THE HOTEL ROOMS AND IT IS SUITABLE FOR CASUAL USE

N435

- POWER: 1400 W
- CABLE: SPIRAL CABLE, LONG LASTING
- MOUNTING OPTIONS: WALL MOUNTING OR A DRAWER
- TEMPERATURE OPTIONS: 3-STEP TEMPERATURE SETTING
- SPEED OPTIONS: 2-STEP SPEED SETTING
- IYONIZER FEATURE: YOUR HAIR FASTER DRY AND HELPS MAINTAIN MOISTURE BALANCE
- USE: IN THE HOTEL BATHROOM



N437

- POWER: 1400 W
- MOUNTING OPTIONS: WALL MOUNTING OR A DRAWER
- CABLE: SPIRAL CABLE, LONG LASTING
- TEMPERATURE OPTIONS: 3-STEP TEMPERATURE SETTING
- SPEED OPTIONS: 2-STEP SPEED SETTING
- IYONIZER FEATURE: YOUR HAIR WILL DRY FASTER AND HELPS TO MAINTAIN MOISTURE BALANCE

A184

- VOLTAGE: 220 VOLTS
- MOTOR TYPE: DC MOTOR
- POWER: 1350 WATTS
- SPEED SETTING: 2 LEVEL SPEED ADJUSTMENT
- OPERATING SYSTEM: HEAD-AND-DROP BUTTON
- CABLE LENGTH: 3 M
- FEATURE CABLE: SPIRAL CABLE, WHICH PRESERVES THE LONG FORM
- RESISTANCE: PROTECTED THERMOSTAT
- HIDDEN ELECTRICAL CONNECTION: ELECTRICAL CONNECTION CONVENIENTLY LOVE



O183

- POWER: 1350 WATTS
- USAGE: WALL-MOUNTED
- OPERATION SYSTEM: HEAD-AND-DROP BUTTON
- MOUNTING: WALL MONTELENEB CAN
- DESIGN: ECONOMIC AND DURABLE
- HIDDEN ELECTRICAL CONNECTION: ELECTRICAL CONNECTION CONVENIENTLY LOVE
- SECURITY FEATURES: IT IS PLACED, INSTEAD OF A SAFETY SWITCH THAT PREVENTS OPERATION



www.hotelexperts.net

sales@hotelexperts.net

N433

- POWER: 1400 W
- USAGE: WALL-MOUNTABLE
- TYPE OF CABLE: SPIRAL CABLE
- SPEED AND TEMPERATURE SETTING: TIER 2 SPEED, 3 HEAT OPTION
- MECHANISM: CUSTOM TRIGGER MECHANISM
- IYONIZER: HAVE
- SOCKET FEATURE: RAZOR 220 V OUTLET LINK
- COLOR: BLACK CHROME
- APPLICATION AREA: HOTELS, BATHROOMS AND DRAWERS



N432

- POWER: 1400 W
- USAGE: WALL-MOUNTABLE
- TYPE OF CABLE: SPIRAL CABLE
- SPEED AND TEMPERATURE SETTING: TIER 2 SPEED, 3 HEAT OPTION
- MECHANISM: CUSTOM TRIGGER MECHANISM
- IYONIZER: HAVE
- COLOR: BLACK CHROME

N403

- SELF-STUDY: THE HAND-HOLDING PORTION WHEN IT IS TOUCHED, IT STARTS TO WORK, WHEN IT IS LEFT AUTOMATICALLY STOPS.
- TWO-STAGE HEAT AND POWER OPTION: TEMPERATURE AND POWER CAN BE DIFFERENT ACCORDING TO USER NEEDS OFFERS A VARIETY OF OPTIONS.



S5504B



- SUSPENSION-SLOT DESIGN: IT CAN MONTELENEB WALL IT SAVES SPACE AND HOTEL TO THE BATHROOM ON A REGULAR APPEARANCE.
- 2-STAGE SPEED AND TEMPERATURE SETTING: NEED DIFFERENT VELOCITY AND TEMPERATURE LEVELS.
- ON/OFF BUTTON: EASY-TO-USE FOR SIMPLE ON/OFF SWITCH.
- SHAVER SOCKET: THE SHAVER SOCKET LOCATED ON THE HAIR DRYER PROVIDES ADDITIONAL CONVENIENCE.

N434

- **POWER: 1200W, COMPACT STRUCTURE WITH THE ACTIVE POWER.**
- **SPIRAL CABLE, WHICH FACILITATES THE USE OF PRESERVING.**
- **2-STAGE SPEED AND TEMPERATURE SETTING, SPEED AND TEMPERATURE OFFERS A VARIETY OF OPTIONS ACCORDING TO YOUR NEEDS.**



N416

- **POWER: 1400W, POWERFUL PERFORMANCE BY OFFERING QUICK AND EFFICIENT DRYING IT PROVIDES.**
- **SHAVEN SOCKET: THE SHAVEN SOCKET LOCATED ON THE UNIT ELIMINATES THE NEED FOR AN EXTERNAL PLUG IN THE HOTEL BATHROOM.**

N406

- **POWER: 1400W, STRONG DRYING PERFORMANCE. SHAVED OUTLET: THE OUTLET IS ON, SHAVED, CLOSE TO EXTRA IN THE HOTEL BATHROOM**
- **ELIMINATES THE NEED FOR A PLUG.**
- **SPEED LEVELS: TIER 2 SPEED SETTING ACCORDING TO USER'S REQUIREMENT FLEXIBILITY.**
- **TEMPERATURE OPTIONS: WITH THE OPTION OF 3 DIFFERENT TEMPERATURE YOU WANT CAN CHOOSE THE LEVEL OF DRYING.**



01865

- **SUSPENSION-SLOT DESIGN: IT CAN MONTELENEB WALL IT SAVES SPACE AND HOTEL TO THE BATHROOM ON A REGULAR APPEARANCE.**
- **2-STAGE SPEED AND TEMPERATURE SETTING: NEED DIFFERENT VELOCITY AND TEMPERATURE LEVELS.**
- **ON/OFF BUTTON: EASY-TO-USE FOR SIMPLE ON/OFF SWITCH.**
- **SHAVEN SOCKET: THE SHAVEN SOCKET LOCATED ON THE HAIR DRYER PROVIDES ADDITIONAL CONVENIENCE.**



N410

- **POWER: 1600W, PROVIDES FAST AND EFFICIENT DRYING.**
- **TEMPERATURE OPTIONS: WITH THE OPTION OF TIER 2 AND 3 TEMPERATURE SETTINGS TEMPERATURE OFFERS FLEXIBLE USE.**
- **IYONIZER FEATURE: YOUR HAIR MAKES YOU LOOK MORE SHINY AND HEALTHY IYONIZER TECHNOLOGY.**



N417

KEEPING HARD: WITHDRAWAL OF FUNDS DURING THE PROCESS, HAIR DRYER KEEP CONSTANT IN THE SAME DIRECTION, AND THE HAIR DRIES MORE EFFECTIVELY ENSURES PROPER OPERATION OF BOTH DEVICES. HOLDING THE DEVICE STEADY, WHILE DRYING HER HAIR AND THE DEVICE, YOU RECEIVE A SMOOTHER RESULT OF THE EXTREME TO PREVENT YOU BEING FORCED.

O1861

- **1350 WATTS OF POWER**
- **HEAD-AND-DROP BUTTON**
- **LONG-LASTING D.C. MOTOR**
- **THERMOSTAT RESISTANCE PROTECTED**
- **NOISE LEVEL: 64 DB**
- **CABLE AND REINFORCED SOCKET**
- **SHAVER CONNECTION SOCKET ON THE HANGER (220 VOLT)**



N430

- **POWER: 1875 W**
- **TEMPERATURE OPTIONS: 3-STEP TEMPERATURE SETTING**
- **SPEED SETTING: 2 LEVEL SPEED ADJUSTMENT**
- **IYONIZER: HAIR AND PREVENTS ELECTRIFI CATION A SMOOTHER RESULT IS ACHIEVED**
- **ORIGIN: FRANCE**

N438

- POWER: 1400 W
- CABLE: SPIRAL CABLE
- TEMPERATURE OPTIONS: 3 HEAT SETTINGS
- SPEED SETTING: 2 LEVEL SPEED ADJUSTMENT
- IONIZER: HAIR PREVENTS ELECTRIFICATION AND THE SMOOTHER THE RESULT IS ACHIEVED
- SHAVER SOCKET: IT HAS A SHAVER SOCKET ON IT.
- COLOR: BLACK
- VOLTAGE: 220 V
- ORIGIN: FRANCE



N426

- IONIZER: ENSURES THAT THE HAIR WILL BE MORE SMOOTH AND PREVENTS ELECTROCUTION.
- POWER: 1400 W
- TEMPERATURE OPTIONS: 3 TEMPERATURE SETTINGS, TEMPERATURE CONTROL OPTIONS APPROPRIATE FOR DIFFERENT NEEDS DELIVERS.
- SPEED SETTING: 2 PROVIDES EASE OF USE WITH VARIABLE SPEED DRIVES.
- VOLTAGE: 220 V

N444

SOOTY CHROME HANGER BRACKET DESIGNED FOR WALL MOUNT HAIR DRYERS, AN AESTHETIC AND PRACTICAL SOLUTION. THE BODY OF THE DRYER THE INTERIOR IS COATED WITH SILICONE FOR SCRATCHING. THIS LONG-LASTING USE PROVIDES PROTECTION FOR THE DEVICE. BY OFFERING THE POSSIBILITY TO WALL MOUNT, ESPECIALLY IN THE HOTEL ALLOWS FOR SPACE-SAVING IN AREAS SUCH AS A BATHROOM, AND MACHINES ALLOWS IT TO BE STORED IN AN ORDERLY MANNER.



01862



- 1350 WATTS OF POWER
- HEAD-AND-DROP BUTTON
- LONG-LASTING D.C. MOTOR
- THERMOSTAT RESISTANCE PROTECTED
- NOISE LEVEL: 64 DB
- CABLE EFESTEEL
- CABLE SOCKET STRENGTHEN THE LIFESPAN OF USE

N428

- **POWER: 1500 W**
- **SHAVER SOCKET: THE MODEL ALSO FEATURES A SHAVER SOCKET, PROVIDING ADDITIONAL CONVENIENCE.**
- **SAFETY FEATURE: THE AUTOMATIC SHUT-OFF FEATURE AFTER 18 MINUTES OF NON-USE ENHANCESN**
- **HOSE DESIGN: CONSIDERING THE RISK OF ELECTRICAL SHOCK HOSE AS PRODUCED. THIS DESIGN, HOTELS, DORMITORIES AND SCHOOLS IN THE AREAS OF PUBLIC LIFE SUCH AS PROVIDES SAFER OPERATION.**



N429

- **POWER: 1500 W**
- **SAFETY FEATURE: AUTOMATIC SHUTDOWN AFTER 18 MINUTES.**
- **SHAVER SOCKET: SHAVER SOCKETS AVAILABLE IN THE MODEL, ADDITIONAL USAGE ADVANTAGE**
- **HOSE DESIGN: TO ENHANCE SECURITY AGAINST THE POSSIBILITY OF ELECTRICAL SHOCK HOSE MANUFACTURED AS HOTELS, DORMITORIES AND SCHOOLS IN HIGH RISK AREAS SUCH AS IS PREFERRED.**



N427

- **POWER: 700 W**
- **SHAVING SOCKET: THE MODEL HAS A SHAVING SOCKET, PROVIDES EXTRA USE.**
- **SAFETY FEATURE: THE AUTOMATIC SHUTDOWN FEATURE AFTER 12 MINUTES OF OPERATION ENSURES SAFE OPERATION**
- **HOSE-TYPE DESIGN: DESIGNED WITH A HOSE TO MINIMIZE THE RISK OF ELECTRIC SHOCK, WHICH ENHANCES USER SAFETY.**



N421

HOTELS AND DORMITORIES, TO ENSURE THE SAFETY OF THE USER SPECIAL DESIGNED AS A DURABLE AND SAFE MODELS ARE PREFERRED. THIS MACHINES ARE USUALLY PLACED IN A DRAWER OR MOUNTED ON THE WALL.



N405

- 1600 WATT POWER
- 2-STAGE SPEED SETTING
- BLOWING COLD AIR FEATURE
- IMPORTED FROM FRANCE
- 1400 WATT POWER
- 2 SPEED SETTINGS
- 3 TEMPERATURE OPTION



N442

- 1600 WATTS POWER
- DRAWER-FREE OPERATION
- SPIRAL CABLE WITH PLUG
- TIER 2 SPEED SETTING
- 3 TEMPERATURE OPTION
- CUSTOM TRIGGER MECHANISM
- FEATURE IYONIZER
- COLOR: WHITE-CHROME



- 2200 WATTS POWER
- 3-STAGE HEAT SETTINGS
- 2-STEP SPEED SETTING
- 3 YEAR MANUFACTURER'S WARRANTY



- FOLDABLE SAP
- 2300-WATT POWER
- 3-STAGE HEAT SETTINGS
- 2-STAGE BLOWING FEATURE
- 3 DIFFERENT HEADER OPTION



AR5016

AR5046

N443

- 1875 WATTS
- DRAWER-FREE OPERATION
- SPIRAL CABLE WITH PLUG
- TIER 2 SPEED SETTING
- 3 TEMPERATURE OPTION
- SPECIAL TRIGGER MECHANISM
- FEATURE IYONIZER
- COLOR: SILVER-BLACK



N409

- 1000 WATTS OF POWER
- HOSE DESIGN
- PLUG IN SHAVED MODEL OPTIONS
- AUTO-SHUTDOWN FEATURE AFTER 18 MINUTES

O1864

- 1350 WATTS OF POWER
- HEAD-AND-DROP BUTTON
- LONG-LASTING D.C. MOTOR
- THE RESISTANCE PROTECTED THE THERMOSTAT
- SOUND LEVEL: 64 DB
- REINFORCED CABLE AND SOCKET
- VOUCHER IS AVAILABLE



O1875

- FOLDABLE SAP
- 2300-WATT POWER
- 3-STAGE HEAT SETTINGS
- 2-STAGE BLOWING FEATURE
- 3 DIFFERENT HEADER OPTION



HOTEL
EXPERTS
HOTEL DESIGN & IMPLEMENTATION

T Concept Dış Tic Ltd Şti

Mini Bars

B40S

- INTERNAL VOLUME: 40 LITRES
- COOLING SYSTEM: ABSORPTION SYSTEM
- DOOR OPENING: LEFT AND RIGHT DOOR OPENING DIRECTION
- TYPE: RECESSED TYPE



C30S

- INTERNAL VOLUME: 30 LITERS
- COOLING SYSTEM: ABSORPTION SYSTEM
- DOOR OPENING: LEFT AND RIGHT DOOR OPENING DIRECTION
- TYPE: RECESSED TYPE

B35S

- INTERNAL VOLUME: 35 LITERS
- COOLING SYSTEM: TABSORPTION SYSTEM
- DOOR OPENING: LEFT AND RIGHT DOOR OPENING DIRECTION
- TYPE: RECESSED TYPE



M301-TH

- INTERNAL VOLUME: 30 LITERS
- SYSTEM COOLING: PELTIER COOLING
- FEATURE: SILENT (0 DB)
- THERMOSTAT: ELECTRONIC THERMOSTAT
- DEFROST: AUTOMATIC DEFROST
- LIGHTING: LED LIGHTING
- ENERGY EFFICIENCY: A+ ENERGY RATING
- ANNUAL ENERGY CONSUMPTION: 96 KWH/YEAR

M301-TH-C

- SYSTEM COOLING: PELTIER COOLING
- FEATURE: SILENT (0 DB)
- THERMOSTAT: ELECTRONIC THERMOSTAT
- DEFROST: AUTOMATIC DEFROST
- LIGHTING: LED LIGHTING
- ENERGY EFFICIENCY: A+ ENERGY RATING
- ANNUAL ENERGY CONSUMPTION: 96 KWH/YEAR



N235

- CAPACITY: 30 L
- SYSTEM COOLING: PELTIER EFFECT + GAS IZOBUTAN (R600A)
- ENERGY CONSUMPTION: 0.26 KWH/24 HOURS
- FEATURE: SILENT (NO VIBRATION, SILENT 7/24 WORK)
- LOCK SYSTEM: INTERNAL LOCKING SYSTEM
- DOOR FEATURE: OPPOSITE THE DOOR CAN BE OPENED
- ADJUSTABLE STANDOFF SYSTEM: YES, YOU CAN MAKE THE TEMPERATURE SETTING



N233

- 30 LITRE MINIBAR BODY MONOBLOCK LOCK SYSTEM. 7/24 WITHOUT VIBRATION
- IT WORKS COMPLETELY SILENT. THE SMELL OF AMMONIA IN NO WAY AND CFC DOT
- IS A FREE ENVIRONMENTAL. MINI BAR IN THE LOCK BODY SYSTEM. INTERNAL THE PARTIAL SYSTEM IS ILLUMINATED BY THE LED. THE STANDOFF CAN BE SET IN THE SYSTEM. JVD A MINIBAR, COMPARED TO ITS COMPETITORS BY UP TO 66% ENERGY SAVINGS IS PREVIOUSLY.



B30B

- COOLING SYSTEM: ABSORPTION COOLING
- CAPACITY: 30 L
- ENERGY CLASS: D
- ENERGY CONSUMPTION: 226 KWH/YEAR
- FEATURE: SILENT (0 DB)
- THERMOSTAT: MECHANICAL THERMOSTAT
- COLOR: WHITE
- WEIGHT: 12 KG



C40S

- INTERNAL VOLUME: 40 LITRES
- COOLING SYSTEM: ABSORPTION SYSTEM
- DOOR OPENING: RIGHT AND LEFT
- TYPE: RECESSED TYPE
- MECHANICAL THERMOSTAT: YES
- COLOR: BLACK



N211

- INTERNAL VOLUME: 45 LITERS
- ABSORPTION SYSTEM
- MOTOR SYSTEM: SILENT RUNNING
- WEIGHT: 16 KG
- TEMPERATURE RANGE: +5°C +14°C
- INTERIOR LIGHTING: AVAILABLE

M601-TH

- SYSTEM COOLING: PELTIER
- FEATURE: SILENT (0 DB)
- THERMOSTAT: ELECTRONIC
- DEFROST SYSTEM: AUTOMATIC
- LIGHTING: LED
- ENERGY EFFICIENCY: A+
- ENERGY CONSUMPTION: 96 KWH/YEAR
- INTERNAL VOLUME: 40 LITRES



M521-PL

- COOLING SYSTEM: ABSORPTION
- DOOR TYPE: DOOR BLOCK
- INTERNAL VOLUME: 50 LITERS
- FEATURE: SILENT (0 DB)
- THERMOSTAT: LOGIC
- DEFROST SYSTEM: AUTOMATIC
- LIGHTING: LED
- ENERGY SAVING: D
- ENERGY CONSUMPTION: 270 KWH/YEAR





**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

T Concept Diş Tic Ltd Şti

Hotel Room Safes

K218

- **ENCRYPTION SYSTEM:** 6 AMONG HOUSEHOLDS WITH 3 OFFERS A VARIETY OF ENCRYPTION OPTIONS, MAINTAINS THE HIGHEST LEVEL OF SECURITY.
- **INTERIOR LIGHTING:** LED LIGHT WHICH ARE LOCATED IN THE INTERIOR SECTION, IN A DARK ENVIRONMENT, EASY ALSO PROVIDES ACCESS TO THE.
- **OPENING OPTIONS:** WITH THE MASTER PASSWORD CAN BE OPENED WITH THE KEY OR THE MANUAL AS CAN BE OPENED AND OFF ERS FL EXIBLE USE.



K216



- **COLOR OPTIONS:** IVORY AND BLACK
- **EXTERNAL DIMENSIONS:** 220 X 400 X 420 MM (HEIGHT X WIDTH X DEPTH)
- **EMERGENCY LOCK:** 6-DIGIT MASTER CODE SAFE IN EMERGENCY SITUATIONS CAN BE OPENED.
- **MASTER KEY MANUAL:** MANUAL THE OPTION TO OPEN EMERGENCY SITUATIONS IT IS USEFUL FOR.
- **PASSWORD MASKING:** 4 AN INCORRECT PASSWORD IS ENTERED WHEN AUTO IMPROVES CRASH SAFETY.

N1219

- **MASTER CODE:** 6-DIGIT MASTER CODE SAFE IN EMERGENCY SITUATIONS CAN BE OPENED.
- **SAFETY FEATURES:** 4 INCORRECT OPERATION AFTER 15 MINUTES LONG THE BLOCKS ITSELF.
- **PENALTY PERIOD:** THE DURATION OF THE PUNISHMENT FAULTY ENTRY IN THE 15, 30, 45, AND 60 MINUTES CAN BE SET.



K215-S



- **USER PASSWORD:** 4-6 DIGIT CUSTOMER SECURE WITH A PASSWORD THE USER PROVIDES.
- **DIGITAL DISPLAY:** 6-DIGIT PASSWORD ON THE DIGITAL DISPLAY, MASTER PASSWORD, POWER STATUS, BATTERY LEVEL, TIME, SUCH AS THE OPERATION DATE CAN BE VIEWED.
- **EMERGENCY RESPONSE:** EMERGENCY WITH THE PASS KEY AND A MASTER PASSWORD IN CASES CAN BE TREATED.
- **SECURITY FEATURES:** 5 INCORRECT OPERATION AFTER THE CHASSIS ITSELF IT BLOCKS. THE BLOCKAGE CAN BE REMOVED WITH CEU.

K211-S

- THE OUTER BODY 2 MM MINIMUM COVER 5 MM;
TOTAL COVER THICKNESS 50 MM.
- PAINT: ELECTROSTATIC POWDER PAINT.
- NICKEL PLATING: NICKEL PLATED 18 MM BOLT.
- THE CHARGER FROM THE ELECTRICAL OUTLET AND ELECTRICAL RECEPTACLE INSTALLATION CAN BE ADDED.
- LIGHTING: LED LIGHTING WITH MOTION SENSOR.
- CARPET: CARPET FLOOR BOUCLE KAPLAM



N212

- EXTERNAL DIMENSIONS: 435 X 400 X 225 MM
- USER PASSWORD: SECURE WITH 3-6 DIGIT USER PASSWORD THE POSSIBILITY OF THE USE.
- SAFETY FEATURES: 4 YOURSELF SAFE AFTER INCORRECT PROCEDURE THE DURATION OF THE PUNISHMENT BLOCK AND 15, 30, 45, 60 MINUTES CAN BE ADJUSTED.



K211-L

- EXTERNAL DIMENSIONS: 225X400X435 MM (HEIGHT X WIDTH X DEPTH)
- USER PASSWORD: 3-6 DIGIT USER PASSWORD WORKS WITH.
- MASTER CODE: 6-DIGIT MASTER CODE HAVE THE OPPORTUNITY TO OPEN WITH.
- DIGITAL DISPLAY: BATTERY LEVEL, DATE AND TIME INFORMATION CAN BE SEEN ON THE DIGITAL DISPLAY.
- LOCK BRAKING SYSTEM: 4 ERRONEOUS AFTER THE OPERATION, THE CHASSIS ITSELF IS BLOCKED FOR 15 MINUTES.



N213

- EXTERNAL DIMENSIONS: 230X430X410 MM (HEIGHT X WIDTH X DEPTH)
- BODY MATERIAL: 2 MM THICK STEEL BODY
- ENCRYPTION: OPENING THE SAFE WITH A PASSWORD TO 4-6 DIGITS ELECTRONIC
- TRANSACTIONAL MEMORY: THE LAST 100 LOG CAN BE VIEWED
- WARRANTY PERIOD: 2 YEARS



**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

T Concept Dış Tic Ltd Şti

Card Lock Set

KLK40

- RFID 13.56 MHZ. CONTACTLESS CARD LOCK SYSTEM. (OPTIONAL WIRELESS ONLINE BLUETOOTH ONLINE, PASSWORD, FINGERPRINT).
- ELECTROSTATIC POWDER COATED, ALUMINUM CARD LOCK SYSTEM.
- IT IS AN EASY ASSEMBLY SYSTEM WITHOUT CHANGING THE EXISTING MECHANICAL CYLINDER LOCKS.
- ANTIPANIC TO ALL 72/85 MM CYLINDER LOCKS AND BRASSCO APK1 SUITABLE FOR MULTIFUNCTIONAL LOCK.
- IT IS SUITABLE FOR DOOR THICKNESSES OF 35-100 MM.
- INTERNAL LOCKING LATCH.
- OPERATES WITH DC6V 4X1.5V AAA TYPE BATTERIES.
- BLOW BATTERY CONSUMPTION, PROVIDING OPERATION UP TO 1,5 - 2 YEARS WITH ALKALINE BATTERIES.
- LOW BATTERY WARNING.
- STATIC CURRENT 10-25 MICROAMPERES STATIC CURRENT 100-150 MA.
- 0-60°C, 10-90% (NON-CONDENSING HUMIDITY) OPERATING AMBIENT VALUES.
- 800 OPENING RECORD REPORTING.
- COMPATIBLE WITH ALL VERSIONS OF BRASSCO CARD LOCK SOFTWARE.
- ACCORDING TO OPTIONAL FEATURES, IT WORKS WITH KILITAPP AND MOLAAPP SOFTWARE.
- SUITABLE FOR OFFICES WITH KILITAPP SOFTWARE. (OPTIONAL)



ECOLINE V

- RFID 13.56 MHZ. CONTACTLESS CARD LOCK SYSTEM.
- PRODUCED WITH OPTIONAL METAL COATING ON STAINLESS METAL COMPONENT THAT DOES NOT CONTAIN ZINC ALLOYS.
- HANDLE WORKING SYSTEM THAT PROVIDES LONG LOCK LIFE SPAN AND NORMALLY STANDS SEPARATE FROM THE LOCK.
- SECURED 5 LATCHED LOCK SYSTEM THAT INVOLVES ANSI TYPE, CAN BE LOCKED MECHANICALLY FROM INSIDE, CAN BE OPENED AND CLOSED WITH MECHANICAL KEY FROM OUTSIDE, AND PREVENTS OPENING FROM OUTSIDE INVOLUNTARILY, WITH ANTI-PANIC FUNCTION.
- SUITABLE FOR DOORS THAT ARE 35-60 MM THICKNESS.
- CAN OPERATE IN 0-65°C, 10-90%RH (NON-CONDENSING HUMIDITY) ENVIRONMENT CONDITIONS.
- STATIC CURRENT IS 25 UA, OPERATING CURRENT IS 130 MA MAX.
- LOW BATTERY WARNING (CAN MAKE 200 OPENINGS AFTER THE WARNING)
- HAS 800 OPENING MEMORY. (CARD TYPE, CARD NO, DATE, TIME ETC.) TRANSFERS THOSE INFORMATION TO INFORMATION CARD.
- COMPATIBLE WITH ALL BRASSCO ECOLINE CARD LOCK SOFTWARE VERSIONS.




www.hotelexperts.net

sales@hotelexperts.net

OBE05


EXTERNAL ROOM INFORMATION DISPLAY

- INTERNAL, TOUCH-OPERATED BELL BUTTON INFORMATION DISPLAY THAT SHOWS ROOM STATUS INFORMATION.
- SUITABLE FOR FLUSH MOUNTING.
- WHEN DO NOT DISTURB MESSAGE COMES FROM INSIDE, THE BELL FUNCTION IS DISABLED.
- CAN BE CONTROLLED WITH STANDARD COMMUTATOR FROM INSIDE OR ITS OWN TOUCH-OPERATED INTERNAL UNIT.
- BELL OUTPUT.
- BLUE / RED INTERIOR LIGHTING.
- SHOWS WHETHER THE ROOM IS OCCUPIED, WITH THE INFORMATION IT TAKES FROM ENERGY CONTROL UNIT.
- CAN WORK WITH 220V AC NETWORK VOLTAGE DIRECTLY WITHOUT AN ADAPTOR.
- OPERATING ENVIRONMENT VALUES; 0-50C 0-80%.



OBAEK11

- SUITABLE FOR FLUSH MOUNTING.
- CAN BE CONTROLLED WITH STANDARD COMMUTATOR FROM INSIDE OR ITS OWN TOUCH-OPERATED INTERNAL UNIT.
- GREEN / RED INTERIOR LIGHTING.
- CAN WORK WITH 220V AC NETWORK VOLTAGE DIRECTLY WITHOUT AN ADAPTOR.
- OPERATING ENVIRONMENT VALUES; 0-50C 0-80%





**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

T Concept Diş Tic Ltd Şti



Soap Dispensaries

FS1

- **MATERIAL:** 304 GRADE STAINLESS STEEL
- **CAPACITY:** 880 ML
- **BODY COLOR:** SATIN STAINLESS STEEL FINISH
- **OPERATION SYSTEM:** SENSOR-OPERATED (DISPENSES SOAP WITHOUT TOUCHING)
- **POWER SOURCE:** BATTERY OR ELECTRIC (OPTIONAL)
- **MOUNTING TYPE:** WALL-MOUNTED
- **USAGE TYPE:** SUITABLE FOR LIQUID SOAP



S116-2

- **CAPACITY:** 380 ML
- **USAGE TYPE:** SINGLE / DOUBLE / TRIPLE COMBINATION OPTIONS
- **AREA OF USE:** LIQUID SOAP, SHAMPOO, BODY LOTION
- **MOUNTING:** WALL-MOUNTED SYSTEM
- **DIMENSIONS:** 181 × 93 × 193 MM
- **MATERIAL:** DURABLE ABS PLASTIC
- **COLOR:** TRANSPARENT OR MATTE FINISH OPTIONS

S121

- **CAPACITY:** 250 ML
- **MATERIAL:** DURABLE PLASTIC BODY
- **OPERATION TYPE:** MANUAL (PUSH-RELEASE)
- **MOUNTING:** SUITABLE FOR WALL-MOUNTED OR COUNTERTOP USE (DEPENDING ON THE MODEL)
- **FILLING:** EASY TOP FILLING



S102

- **MATERIAL:** 304 GRADE STAINLESS STEEL BODY; CORROSION RESISTANT AND LONG-LASTING.
- **PUMP MECHANISM:** PLASTIC PUMP; RUST-PROOF, CONTROLLED AND EASY ONE-HANDED DOSING.
- **DESIGN:** VERTICAL FORM; COMPACT AND MODERN LOOK, FITS INTO NARROW SPACES.
- **COMPATIBILITY:** SUITABLE FOR USE WITH LIQUID SOAP AND SIMILAR FLUID PRODUCTS.
- **EASY CLEANING:** SMOOTH SURFACE REDUCES DIRT RETENTION; HYGIENE IS ENSURED BY QUICK WIPING.



**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

T Concept Dış Tic Ltd Şti



Paper Towel Cabinet

E106

- * Material: 304 grade stainless steel (304SS)
- * Mounting Type: Surface mounting
- * Capacity: 200 or 400 paper towel dispenser options
- * Waste Bin Volume: 23 liters
- * Structure: Paper towel dispenser at the top, integrated waste bin at the bottom
- * Optional Sizes: Different sizes can be produced upon request
- * Area of Use: High-traffic restrooms, offices, shopping malls, hotels



E110

- * Material: 304 grade stainless steel
- * Operation: Photocell sensor-operated, contactless paper towel dispenser system
- * Set Contents: Paper towel dispenser + integrated waste bin
- * Waste Bin Capacity: 23 liters (can be changed upon request)
- * Mounting Type: Can be produced with surface-mounted or built-in options
- * Surface: Satin or polished stainless steel surface
- * Power: Photocell system can be operated with batteries or an adapter
- * Hygiene Feature: Provides maximum hygiene by eliminating hand contact

“

- * Material: 304 grade stainless steel
- * Operating system: Photocell sensor (automatic paper dispensing)
- * Paper width: 21 cm
- * Capacity: 200–250 sheets, compatible with Z-type paper towels
- * Power: Battery or adapter operated
- * Dimensions: Standard sizes (custom production available)
- * Mounting: Wall-mounted



S102

- * Model: Semi-Recessed Automatic Paper Towel Dispenser
- * Material: 304 grade stainless steel
- * Mounting Type: Semi-recessed (partially embedded in the wall)
- * Dimensions: Width: 29 cm – Height: 39 cm – Depth: 22.5 cm
- * Operation: Automatic operation with contactless hand sensor
- * Body Finish: Glossy or satin finish option
- * Power: Adapter or battery operation option
- * Capacity: Compatible with standard paper towel rolls
- * Hygiene Feature: Completely eliminates user hand contact
- * Ease of Maintenance: Practical cleaning thanks to the easy-access panel



www.hotelexperts.net

sales@hotelexperts.net



**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

T Concept Diş Tic Ltd Şti

HOTEL BATHROOM ACCESSORIES


P304

Wall-mounted, chrome-plated brass, glossy finish.



D143

Chrome plated brass, wall-mounted, 2-year manufacturer's warranty.



D142

Chrome Plated Brass, Wall Mounted, 2 Years Manufacturer's Warranty



D144

Chrome Plated Brass,
Wall Mounted, 2-Year Manufacturer Warranty



P108

Wall-mounted, chrome-plated, glossy finish.



D104

Chrome plated brass, wall-mounted, 2-year manufacturer's warranty.

P517

Wall-mounted, chrome-plated brass, glossy finish.




D113

The folding balcony towel rack is made of 304 grade metal, and is produced with 3 or 4 towel holders upon request.

D117

The stainless steel clothesline is wall-mounted. When the clothesline is pulled, it is attached to the bracket mounted on the opposite wall. Ross diameter 94 mm, cover plate 304 SS, base plate 430 SS. Depth 33 mm. Rope length 2.5 meters. Opposite connection rosette 55 mm 430 SS



P210-1

Ms 58 Quality Brass with Chrome Plating
Wall Mounted, 5-Year Company Warranty, Custom Sizes and Dimensions
Applicable Length 50 cm, 11 cm from the Wall

BP1

Our balcony clothes rack, manufactured from 304 stainless steel, can be produced with either 4 arms or 3 arms.



P305

Manufactured from 304 ss quality stainless steel, Ø 20



D101

Manufactured from 304 ss quality stainless steel, Ø 20



D109

Ms 58 Quality Brass with Chrome Plating, Wall Mounted, 5 Years Company Warranty, Custom Sizes and Dimensions Available, Length 50 cm, 11 cm from the Wall

D108

Ms 58 Quality Brass with Chrome Plating
Wall Mounted, 5-Year Company Warranty
Custom Sizes and Dimensions Available
Length 50 cm, 11 cm from the Wall



P114

Wall-mounted, chrome-plated zinc alloy and brass, glossy finish.





HOTEL
EXPERTS
HOTEL DESIGN & IMPLEMENTATION

T Concept Dış Tic Ltd Şti



Makeup Mirrors

P310

Wall-mounted, chrome-plated brass.



M108

Wall-mounted, chrome-plated brass.

M110

Wall-mounted, chrome-plated brass.



M103

The back of the wall-mounted mirror and the mounting badge are made of 304 stainless steel.

P211-1

Wall-mounted, chrome-plated brass.



M111

Wall-mounted, chrome-plated brass.

P212-1

The hotel makeup mirror is wall-mounted. Electrical installation is required at the location where it will be used. The arms used in the makeup mirror are made of brass with chrome plating.



M105

The hotel makeup mirror is wall-mounted. Electrical wiring is required where it will be used. The makeup mirror is made of 304 SS stainless steel.



M104

The hotel makeup mirror is wall-mounted.
Electrical installation is required where it will be used.
The arms used in the makeup mirror are brass with chrome plating.



Wall-mounted, chrome-plated metal.

M106



M107

Wall-mounted, chrome-plated metal.





**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

T Concept Diş Tic Ltd Şti

Physically Disabled Products

7001

Mirror for Physically Disabled Individuals

Mounting Type: Wall-mounted; ideal for public and private spaces.

Material: 304 grade stainless steel frame; long-lasting and corrosion-resistant.

Surface: Matte satin finish; glossy finish option available upon request.

Adjustability: Moves vertically from the center after installation; tilt angle can be adjusted according to user needs.

Size (Standard): 500 × 700 mm; custom sizes available.

Warranty: 5-year manufacturer warranty (for frame; excluding glass).

User Group: Suitable for physically/mentally disabled individuals, the elderly, patients, and those with temporary health problems.

Areas of Use: Hospitals, restrooms, bathrooms, shower areas, and other public spaces.

Extra Features: Additional accessories/features can be added according to project requirements.

Maintenance Recommendation: Wipe the stainless steel surface with a neutral cleaner and a soft cloth; avoid abrasive chemicals.



7009

Shower/Tub Seat for People with Physical Disabilities

Mounting Type: Wall-mounted design; saves space in narrow areas and provides a tidy appearance.

Foldable Structure: After use, it can be lifted upwards to free up space; easy cleaning and movement.

Material (Seating Surface): Water-resistant wood is used; suitable for wet areas, resistant to hot and cold water changes.

Support Leg: The support leg at the bottom increases the load-bearing capacity of the seat and provides stability during use.

Body/Compartments: Corrosion-resistant connecting parts; long-lasting use in the shower environment.

Ergonomics: Textured/wooden surface feel that reduces slipping; wide panel for comfortable seating.

Areas of Use: Hospitals, nursing homes, hotels, bathrooms for people with disabilities/elderly people, and all accessible shower areas.

Maintenance & Cleaning: Wipe the wooden surface with a neutral cleaner and a damp cloth; avoid chemical and abrasive products. Regularly check metal/connection points.

Note: Different sizes and accessory options may be offered according to project requirements (armrests, backrests, etc.)

7012

Bathroom Shower Seat

Material: 304 grade stainless steel body/support structure; corrosion resistant, long-lasting.

Mounting Type: Wall-mounted design; saves space and provides organization in bathroom/shower areas.

Safety: Stable use with robust connection points; non-slip seating surface (depending on the model).

Purpose: Helps reduce the risk of falls by providing safe seating support in the shower.

User Group: Seniors, those with limited mobility, those undergoing rehabilitation, and users requiring care.

Maintenance & Cleaning: Wipe the stainless steel surface with a neutral cleaner and a soft cloth; avoid abrasive chemicals.

Note: Size and accessory options (armrests, backrests, etc.) can be offered according to project requirements.



7007

Material: 304 grade stainless steel body; corrosion resistant and long-lasting in wet areas.

Surface: Matte satin finish; fingerprint-resistant, easy-to-clean surface.

Mounting Type: Floor and wall mounted; suitable for corner applications.

Dimensions (Standard): 800 × 600 mm; optimized size for corner support needs.

Diameter: 32 mm pipe diameter; complies with the size standard specified by the Ministry of Health.

Ergonomics & Safety: Slip-reducing satin texture; firm grip, high load-bearing capacity.

Areas of Use: Hospitals, nursing homes, hotels, residential bathrooms/WCs, and all accessible wet areas.

Custom Production: Different size and dimension options can be produced according to project requirements.



7006

L-Shaped Vertical Grab Bar for Physically Disabled Individuals

Material: 304 grade stainless steel body; corrosion resistant in wet areas.

Surface: Matte satin finish; reduces slipperiness, easy to clean.

Mounting Type: Wall-mounted L-shaped vertical support; supports entry/exit and standing movements.

Dimensions (Standard): 800 × 400 mm; different sizes and dimensions can be produced upon request.

Tube Diameter: 32 mm, complies with the handgrip diameter standard stipulated by the Ministry of Health.

Ergonomics: Angled L design provides a more secure grip, supports standing and balance.

Warranty: 2-year manufacturer warranty.

Areas of Use: Bathrooms, toilets, showers, hospitals and care areas; home and corporate projects.

Maintenance Recommendation: Wipe with a neutral cleaner and soft cloth; do not use abrasive chemicals/hard sponges.



7008

Articulated Grab Bar for Physically Disabled Individuals

Material: 304 grade stainless steel body; corrosion resistant in wet areas.

Surface: Matte satin finish; non-slip grip, easy to clean.

Mounting Type: Wall-mounted, articulated (folding) mechanism.

Foldability: After use, it can be folded parallel to the wall to create space, allowing for cleaning and freedom of movement.

Size (Standard): 700 mm length; custom sizes/dimensions are available.

Tube Diameter: 32 mm; compliant with accessibility standards, secure grip.

Ergonomics & Safety: Provides additional balance and support during sitting/standing and transfer movements.

Option: Toilet paper holder model available.

Warranty: 2-year manufacturer warranty.

Maintenance Recommendation: Wipe with a neutral cleaner and soft cloth; avoid abrasive chemicals and harsh sponges.



7002-60

Physically Disabled Grab Bar (60 cm)

Material: 304 grade stainless steel body; corrosion resistant in wet areas.

Surface: Matte satin finish; non-slip grip, easy to clean.

Dimensions: 60 cm length; pipe diameter 32 mm (compliant with accessibility standards).

Mounting Type: Wall-mounted; ideal for bathrooms, toilets, and shower areas.

Ergonomics & Safety: Provides grip and balance support, facilitating sitting/standing and transfer movements.

Custom Production: Different size and dimension options can be produced upon request.

Warranty: 2-year manufacturer's warranty.

Areas of Use: Home bathrooms, hospitals, nursing homes, hotels, and all accessible wet areas.

Care Instructions: Use a neutral cleaner and soft cloth; avoid abrasive chemicals and harsh sponges.



7003

Horizontal Grab Bar for People with Physical Disabilities

Material: 304 grade stainless steel body; corrosion resistant in wet areas, long-lasting.

Surface: Matte satin finish; fingerprint-resistant, easy-to-clean texture.

Size (Standard): 30 cm length; 32 mm pipe diameter (compliant with accessibility standards).

Mounting Type: Wall-mounted, horizontal and flat design; provides secure support in bathrooms, toilets, and showers.

Ergonomics & Safety: Non-slip grip; provides stability during sitting/standing and transfer movements.

Custom Production: Different sizes and dimensions can be produced upon request. (Note: Angled/L-type options are available for additional leverage needs.)

Warranty: 2-year manufacturer's warranty.

Maintenance Recommendation: Wipe with a neutral cleaner and soft cloth; avoid abrasive chemicals and harsh sponges.



7002-30

Grab Bar for Physically Disabled Individuals

Material: 304 grade stainless steel body; corrosion resistant in wet areas.

Surface: Matte satin finish; non-slip grip, easy to clean.

Size (Standard): 30 cm length; 32 mm pipe diameter (compliant with accessibility standards).

Mounting Type: Wall-mounted; provides secure support in bathrooms, toilets, and showers.

Ergonomics & Safety: Provides additional stability during sitting/standing and transfer movements.

Custom Production: Different size and dimension options can be produced upon request.

Warranty: 2-year manufacturer's warranty.

Maintenance Recommendation: Wipe with a neutral cleaner and soft cloth; do not use abrasive chemicals or harsh sponges.



7008-01

Bathroom Accessible Grab Bar (Articulated)

Material: 304 grade stainless steel body; corrosion resistant in wet areas.

Surface: Matte satin finish; non-slip grip, easy to clean.

Mounting Type: Wall-mounted, articulated (folding) mechanism.

Foldability: After use, it can be folded parallel to the wall to open up the bathroom area.

Size (Standard): 700 mm; different sizes and dimensions can be produced upon request.


Pipe Diameter: 32 mm; complies with accessibility standards, provides a secure grip.

Option: Toilet paper holder option available.

Warranty: 2-year manufacturer warranty.

Areas of Use: Bathroom/WC/shower, hospital, nursing home, hotel and home accessible areas.

Maintenance Recommendation: Wipe with a neutral cleaner and soft cloth; avoid abrasive chemicals.



7005

Disabled Grab Bar (Double Leg)

Material: 304 grade stainless steel body; corrosion resistant and long-lasting in wet areas.

Surface: Matte satin finish; fingerprint-resistant, easy-to-clean texture.

Mounting Type: Provides maximum stability in corner applications by mounting to the floor and wall.

Dimensions (Standard): 750 x 750 mm; different sizes/dimensions can be produced according to the project.

Pipe Diameter: 32 mm; Complies with the handgrip diameter standard stipulated by the Ministry of Health.

Double Leg Design: Double legs that move left and right for extra stability; reduces swaying under load and offers balanced support.

Ergonomics & Safety: Non-slip satin texture; strong grip during sitting/standing, turning, and transfer maneuvers.

Areas of Use: Bathrooms, toilets, showers, hospitals, nursing homes, hotels, and accessible wet areas.

Warranty: 2-year manufacturer's warranty.

Care Instructions: Wipe with a neutral cleaner and a soft cloth; do not use abrasive chemicals or harsh sponges.

Physically Disabled Floor/Wall Grab Bar

Material: 304 grade stainless steel body; corrosion resistant and long-lasting in wet areas.

Surface: Matte satin finish; fingerprint-resistant, easy-to-clean texture.

Mounting Type: Provides maximum support in corner applications by mounting on the floor and wall.

Dimensions (Standard): 750 x 750 mm; optimized for corner access and transfer movements.


Pipe Diameter: 32 mm; complies with the handgrip diameter standard stipulated by the Ministry of Health.

Ergonomics & Safety: Slip-reducing satin surface; strong grip during sitting/standing and turning maneuvers.

Areas of Use: Bathrooms, toilets, showers, hospitals, nursing homes, hotels, and all accessible wet areas.

Custom Production: Different size and dimension options can be produced to suit the project.

Warranty: 2-year company warranty.



7003



**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

T Concept Dış Tic Ltd Şti

CLEANING CARTS

TROLLEYS

Smart & Practical Cleaning Solutions!

Our professional cleaning trolleys are designed to make daily cleaning tasks faster, more organized, and more efficient. With durable construction, ergonomic handles, and practical storage options, they provide the perfect balance of functionality and mobility.

Each trolley is equipped with multiple compartments, mop wringers, and holders for accessories, allowing cleaning staff to carry all essential tools in one compact unit. Ideal for hotels, hospitals, schools, and office buildings, our trolleys help maintain hygiene standards while saving time and effort.



Floor mopping equipment hanging place



Cleaning cloth sorting buckets



CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HCK670	100x53x80	75x45x50	1

CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HCK671	100x53x80	75x45x50	1



CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HCK672	100x53x80	75x45x50	1

CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HCK673	100x53x80	75x45x50	1



CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HCK674	100x53x80	75x45x50	1

CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HCK675	100x53x80	75x45x50	1



CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HTK676	100x53x80	75x45x50	1



CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HTK677	100x53x80	75x45x50	24



CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HTK678	100x53x80	75x45x50	1



CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HCK714	75x50x80	75x45x50	1



CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HCK715	75x50x92	76x45x37	1

www.hotelexperts.net

sales@hotelexperts.net



CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HCK716	118x50x95	75x45x50	1



CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HCK717	118x50x95	75x45x50	1



“Perfect Grip, Maximum Cleaning Efficiency!”

Our compact Herkül single bucket cleaning set ensures fast and hygienic floor cleaning in hospitals, corridors, and clinics. Thanks to its sturdy plastic body, ergonomic design, and lightweight structure, it offers easy maneuverability and reliable performance in professional cleaning routines.



CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HTK718	96x50x95	75x45x50	1



CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HTK719	96x50x95	75x45x50	1

HERKUL SINGLE BUCKET CLEANING SET

Compact Professional Cleaning Trolley

Compact design with single handle and bucket for efficient cleaning in hotels, restaurants, and offices. Durable plastic body, smooth wheels, and ergonomic grip ensure easy and quiet use in tight spaces.

CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HCK680	8 LT + 15 LT	-	1



"Compact Design, Professional Results!"

Specially designed for restaurants, offices, and hotels, this Herkül single bucket set combines practicality with durability. Its smooth-rolling wheels and ergonomic handle guarantee effortless transport, while its high-quality construction ensures long-lasting cleaning efficiency in every environment.

HERKUL SINGLE BUCKET CLEANING SET


Compact Professional Cleaning Trolley

Compact design with single handle and bucket for efficient cleaning in hotels, restaurants, and offices. Durable plastic body, smooth wheels, and ergonomic grip ensure easy and quiet use in tight spaces.

CODE	DIMENSIONS (mm)	BOX SIZE (mm)	PIECES IN BOX
HCK681	2 X 15 LT	-	1



DISCOVER EFFICIENCY AT YOUR FINGERITY



ROOM SERVICE CARTS



AC2446

	DIMENSIONS	154x67x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2447

	DIMENSIONS	152x78x145cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	CK756, AC2913, CTB363



AC2448

	DIMENSIONS	154x67x145cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2450

	DIMENSIONS	152x78x145cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	CK756, AC2913, CTB363



AC2451

	DIMENSIONS	152x78x145cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	CK756, AC2913, CTB363



AC2701

	DIMENSIONS	64x67x106cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	-



AC2702

	DIMENSIONS	64x67x106cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AC2913



AC2703

	DIMENSIONS	64x67x106cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AC2913



AC2704

	DIMENSIONS	64x67x145cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	-



AC2433

	DIMENSIONS	154x67x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2435

	DIMENSIONS	152x78x145cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	CK756, AC2913, CTB363



AC2436

	DIMENSIONS	154x67x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913, CTB363






AC2437

	DIMENSIONS	154x67x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2438

	DIMENSIONS	154x67x145cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	HMK138, AC2913, CTB363



AC2439

	DIMENSIONS	152x78x145cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	CK756, AC2913, CTB363



AC2441

	DIMENSIONS	154x67x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	CTB363



AC2442

	DIMENSIONS	152x78x145cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	CK756, CTB363



AC2445

	DIMENSIONS	154x67x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2423

	DIMENSIONS	208x57x110cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2425

	DIMENSIONS	208x57x145cm
	BOX DIMENSIONS	104x60x57cm 96x57x54cm
	PRODUCT CONTENT	CTB363



AC2426

	DIMENSIONS	208x57x145cm
	BOX DIMENSIONS	104x60x57cm 96x57x54cm
	PRODUCT CONTENT	AC2913



AC2427

	DIMENSIONS	208x57x145cm
	BOX DIMENSIONS	104x60x57cm 96x57x54cm
	PRODUCT CONTENT	AC2913



AC2428

	DIMENSIONS	208x57x145cm
	BOX DIMENSIONS	104x60x57cm 96x57x54cm
	PRODUCT CONTENT	AC2913, CTB363



AC2429

	DIMENSIONS	208x57x145cm
	BOX DIMENSIONS	104x60x57cm 96x57x54cm
	PRODUCT CONTENT	AC2913, CTB363



AC2430

	DIMENSIONS	154x67x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	CTB363



AC2431

	DIMENSIONS	152x78x145cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	CK756, CTB363



AC2432

	DIMENSIONS	152x76x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	HPP794, HSK809, CTB363



AC2333

	DIMENSIONS	140X78X123
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AK799, CK756



AC2334

	DIMENSIONS	153X78X123
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AK799, CK756



AC2401

	DIMENSIONS	119x57x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	CTB363



AC2402

	DIMENSIONS	119x57x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	CTB363



AC2405

	DIMENSIONS	119x57x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2407

	DIMENSIONS	166x57x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	CTB363



AC2409

	DIMENSIONS	166x57x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2410

	DIMENSIONS	113x57x106cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913



AC2411

	DIMENSIONS	113x57x106cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	-



AC2716

	DIMENSIONS	209x57x110cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	CTB363



AC2717

	DIMENSIONS	209x57x110cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	CTB363



AC2718

	DIMENSIONS	119x57x110cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	CTB363



AC2719

	DIMENSIONS	166x57x110cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	CTB363



AC2720

	DIMENSIONS	166x57x110cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2721

	DIMENSIONS	113x57x106cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913



AC2722

	DIMENSIONS	119x57x108cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AC2913, CTB363



AC2723

	DIMENSIONS	119x57x130cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2724

	DIMENSIONS	161x57x110cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	CTB363



AC2705

	DIMENSIONS	64x67x145cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	-



AC2706

	DIMENSIONS	64x67x145cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AC2913



AC2707

	DIMENSIONS	64x67x145cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AC2913



AC2710

	DIMENSIONS	64x67x106cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AC2913



AC2711

	DIMENSIONS	113x57x106cm
	BOX DIMENSIONS	97x59x41cm
	PRODUCT CONTENT	-



AC2712

	DIMENSIONS	113x57x106cm
	BOX DIMENSIONS	97x59x41cm
	PRODUCT CONTENT	-



AC2713

	DIMENSIONS	113x57x106cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	-



AC2714

	DIMENSIONS	161x57x110cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	CTB363



AC2715

	DIMENSIONS	161x57x110cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	CTB363



AC2316

	DIMENSIONS	104x67x99cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	-



AC2318

	DIMENSIONS	104x76x99cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	HPP794, HSK809



AC2319

	DIMENSIONS	104x67x99cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	-



AC2321

	DIMENSIONS	104x76x99cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	HPP794, HSK809



AC2323

	DIMENSIONS	147x76x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, HPP794, HSK809, AC2913



AC2326

	DIMENSIONS	147x76x123cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AK799, HPP794, HSK809, AC2913



AC2329

	DIMENSIONS	147x76x123cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AK799, HPP794, HSK809, AC2913



AC2330

	DIMENSIONS	147x78x123cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AK799, CK756, AC2913



AC2332

	DIMENSIONS	147x78x123cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AK799, CK756



AC2206

	DIMENSIONS	195x78x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	CK756, CTB363



AC2301

	DIMENSIONS	104x67x123cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AK799, AC2913



AC2303

	DIMENSIONS	104x76x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, HPP794, HSK809, AC2913



AC2306

	DIMENSIONS	104x76x123cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AK799, HPP794, HSK809, AC2913



AC2307

	DIMENSIONS	104x67x123cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AK799, AC2913



AC2309

	DIMENSIONS	104x76x123cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AK799, HPP794, HSK809, AC2913



AC2310

	DIMENSIONS	104x67x99cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	-



AC2312

	DIMENSIONS	104x76x99cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	HPP794, HSK809



AC2315

	DIMENSIONS	104x76x123cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AK799, HPP794, HSK809, AC2913



AC2186

⇅	DIMENSIONS	152x78x123cm
📦	BOX DIMENSIONS	104x60x57cm
🔧	PRODUCT CONTENT	AK799, CK771, AC2913, CTB363



AC2190

⇅	DIMENSIONS	152x76x103cm
📦	BOX DIMENSIONS	104x60x57cm
🔧	PRODUCT CONTENT	HPP794, HSK809, CTB363



AC2194

⇅	DIMENSIONS	195x78x103cm
📦	BOX DIMENSIONS	104x60x57cm 76x46x57cm
🔧	PRODUCT CONTENT	CK756, AC2913, CTB363



AC2197

⇅	DIMENSIONS	195x57x103cm
📦	BOX DIMENSIONS	104x60x57cm 76x46x57cm
🔧	PRODUCT CONTENT	AC2913, CTB363



AC2198

⇅	DIMENSIONS	195x78x103cm
📦	BOX DIMENSIONS	104x60x57cm 76x46x57cm
🔧	PRODUCT CONTENT	CK756, AC2913, CTB363



AC2200

⇅	DIMENSIONS	195x78x123cm
📦	BOX DIMENSIONS	104x60x57cm 76x46x57cm
🔧	PRODUCT CONTENT	AK799, CK756, AC2913, CTB363



AC2201

⇅	DIMENSIONS	195x57x103cm
📦	BOX DIMENSIONS	104x60x57cm
🔧	PRODUCT CONTENT	AC2913, CTB363



AC2202

⇅	DIMENSIONS	195x78x103cm
📦	BOX DIMENSIONS	104x60x57cm 76x46x57cm
🔧	PRODUCT CONTENT	CK756, AC2913, CTB363



AC2205

⇅	DIMENSIONS	195x57x103cm
📦	BOX DIMENSIONS	104x60x57cm
🔧	PRODUCT CONTENT	CTB363



AC2168

	DIMENSIONS	154x67x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, HMK138, AC2913, CTB363



AC2169

	DIMENSIONS	154x67x123cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AK799, AC2913, CTB363



AC2170

	DIMENSIONS	152x76x123
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, HPP794, HSK809, AC2913, CTB363



AC2175

	DIMENSIONS	154x67x103cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	HMK138, CTB363



AC2176

	DIMENSIONS	152x76x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, HPP794, HSK809, AC2913, CTB363



AC2177

	DIMENSIONS	152x78x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, CK756, AC2913, CTB363



AC2181

	DIMENSIONS	152x76x103cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	HPP794, HSK809, CTB363



AC2182

	DIMENSIONS	154x67x103cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	HMK139, CTB363



AC2185

	DIMENSIONS	152x76x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, HPP794, HSK809, AC2913, CTB363



AC2154

	DIMENSIONS	154x67x123cm
	BOX DIMENSIONS	96x57x54cm 76x46x57cm
	PRODUCT CONTENT	AK799, HMK139, AC2913, CTB363



AC2155

	DIMENSIONS	154x67x123cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AK799, AC2913, CTB363



AC2157

	DIMENSIONS	152x76x123cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AK799, HPP794, HSK809, AC2913, CTB363



AC2158

	DIMENSIONS	152x78x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, CK756, AC2913, CTB363



AC2159

	DIMENSIONS	154x67x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, HMK139, AC2913, CTB363



AC2161

	DIMENSIONS	154x67x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, CTB363



AC2164

	DIMENSIONS	152x76x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, HPP794, HSK809, AC2913, CTB363



AC2165

	DIMENSIONS	152x78x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, CK756, AC2913, CTB363



AC2166

	DIMENSIONS	154x67x123cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AK799, HMK139, AC2913, CTB363



AC2142

	DIMENSIONS	154x67x103cm
	BOX DIMENSIONS	96x57x54cm 76x46x57cm
	PRODUCT CONTENT	CTB363



AC2143

	DIMENSIONS	152x76x103cm
	BOX DIMENSIONS	96x57x54cm 76x46x57cm
	PRODUCT CONTENT	HPP794, HSK809, CTB363



AC2146

	DIMENSIONS	152x76x123cm
	BOX DIMENSIONS	96x57x54cm 76x46x57cm
	PRODUCT CONTENT	AK799, HPP794, HSK809 AC2913, CTB363



AC2147

	DIMENSIONS	152x78x123cm
	BOX DIMENSIONS	96x57x54cm 76x46x57cm
	PRODUCT CONTENT	AK799, CK756, AC2913, CTB363



AC2148

	DIMENSIONS	154x67x123cm
	BOX DIMENSIONS	96x57x54cm 76x46x57cm
	PRODUCT CONTENT	AK799, HMK139, AC2913, CTB363



AC2149

	DIMENSIONS	154x67x123cm
	BOX DIMENSIONS	96x57x54cm 76x46x57cm
	PRODUCT CONTENT	AK799, HMK138, AC2913, CTB363



AC2150

	DIMENSIONS	154x67x123cm
	BOX DIMENSIONS	96x57x54cm 76x46x57cm
	PRODUCT CONTENT	AK799, AC2913, CTB363



AC2152

	DIMENSIONS	152x76x123cm
	BOX DIMENSIONS	96x57x54cm 76x46x57cm
	PRODUCT CONTENT	AK799, HPP794, HSK809 AC2913, CTB363



AC2153

	DIMENSIONS	152x78x123cm
	BOX DIMENSIONS	96x57x54cm 76x46x57cm
	PRODUCT CONTENT	AK799, CK756, AC2913, CTB363



AC2103

	DIMENSIONS	104x76x103cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	HSK809, HPP794, CTB363



AC2104

	DIMENSIONS	104x67x103cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	CK756, CTB363



AC2105

	DIMENSIONS	104x67x103cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	HMK139, CTB363



AC2106

	DIMENSIONS	104x67x103cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	CTB363



AC2108

	DIMENSIONS	104x76x103cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	HSK809, HPP794, CTB363



AC2109

	DIMENSIONS	104x67x103cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	HMK139, CTB363



AC2110

	DIMENSIONS	154x67x123cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AK799, AC2913, CTB363



AC2112

	DIMENSIONS	152x76x123cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	AK799, HSK809, HPP794, AC2913, CTB363



AC2113

	DIMENSIONS	152x78x123cm
	BOX DIMENSIONS	96x57x54cm
	PRODUCT CONTENT	CK756, AK799, AC2913, CTB363



AC2413

	DIMENSIONS	113x57x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913



AC2414

	DIMENSIONS	113x57x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913



AC2415

	DIMENSIONS	161x57x110cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2416

	DIMENSIONS	161x57x110cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2417

	DIMENSIONS	161x57x108cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2418

	DIMENSIONS	161x57x145cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	CTB363



AC2419

	DIMENSIONS	161x57x145cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2421

	DIMENSIONS	161x57x145cm
	BOX DIMENSIONS	104x60x57cm 76x46x57cm
	PRODUCT CONTENT	AC2913, CTB363



AC2422

	DIMENSIONS	208x57x110cm
	BOX DIMENSIONS	104x60x57cm
	PRODUCT CONTENT	AC2913, CTB363



CT268MK

	DIMENSIONS	-
	BOX DIMENSIONS	-
	PRODUCT CONTENT	200 LT



CT267MB

	DIMENSIONS	-
	BOX DIMENSIONS	-
	PRODUCT CONTENT	200 LT



**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

T Concept Dış Tic Ltd Şti

CLOTHING COLLECTION CARTS



CT262MK

	DIMENSIONS	-
	BOX DIMENSIONS	-
	PRODUCT CONTENT	100 LT (CTB365)



CT263MB

	DIMENSIONS	-
	BOX DIMENSIONS	-
	PRODUCT CONTENT	200 LT



CT264MK

	DIMENSIONS	-
	BOX DIMENSIONS	-
	PRODUCT CONTENT	200 LT



CT265MB

	DIMENSIONS	-
	BOX DIMENSIONS	-
	PRODUCT CONTENT	2x100 LT (CTB365)



CT266MK

	DIMENSIONS	-
	BOX DIMENSIONS	-
	PRODUCT CONTENT	2x100 LT (CTB365)



CTK690B

	DIMENSIONS	-
	BOX DIMENSIONS	-
	PRODUCT CONTENT	200 LT



CTK691K

	DIMENSIONS	-
	BOX DIMENSIONS	-
	PRODUCT CONTENT	200 LT



CTK692B

	DIMENSIONS	-
	BOX DIMENSIONS	-
	PRODUCT CONTENT	100 LT (CTB365)



CTK693K

	DIMENSIONS	-
	BOX DIMENSIONS	-
	PRODUCT CONTENT	200 LT



**HOTEL
EXPERTS**
HOTEL DESIGN & IMPLEMENTATION

CONTACT & SERVICES

CONTACT & SERVICES



+90 553 844 22 28



sales@hotelexperts.net



www.hotelexperts.net



İstanbul, Türkiye

T Concept Mimarlık Dış Tic Ltd Şti